

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

62.73
LIBRARY
Thomas B. Meehan J. Franklin Meehan S. Mendelson Meehan
Founded 1854 by Thomas Meehan

Thomas Meehan & Sons

WHOLESALE NURSERYMEN
and
TREE SEEDSMEN


TRADE LIST FALL, 1915

This Catalogue Cancels all Previous Price Lists
Prices Net No Discounts

WHOLESALE DEPARTMENT
Dresher P. O., Penna.

Bell Telephone Ambler 226-W
Western Union, Ambler, Pa.

275 ACRES



TRADE LIST

Fall, 1915

CUSTOMERS are requested to state the mode of conveyance by which they desire their trees forwarded. When no route is named, we forward to the best of our judgment, without liability for error or delay.

RESPONSIBILITY.—After goods are placed on board cars here, we assume no responsibility for their safe or prompt delivery, or any injury caused by delay in delivery by the transportation company.

ALL CLAIMS must be made upon receipt of goods.

TERMS CASH, on or before delivery to express or railroad agents, unless by special arrangement.

Two hundred and fifty, twenty-five or five of any one variety will be furnished by the thousand, hundred and ten rates, respectively, but single plants of one or more varieties will not be sold at less than 15 cents each, except Vines and Herbaceous Plants, the minimum price of which will be 10 cents each.

PACKING CHARGED EXTRA, but only sufficient to cover cost of time and material consumed in the work.

POST OFFICE ORDERS payable at Dresher P. O., Montgomery County, Penna.

WESTERN UNION TELEGRAPH, AMBLER, PA. Use Nurserymen's Telegraphic Code or "A B C" Code, 4th edition.

VISITORS are always welcome and should take train at the Reading Terminal, 12th and Market Streets, Philadelphia, for **Camp Hill Station**, or at Broad Street Station, Pennsylvania R. R., for **Fort Hill Station**. Be sure that the train stops at these stations.

NOTICE.—It is necessary that you should **TELEPHONE** us (Bell Phone, Ambler 226-W; Keystone Phone, Jenkintown 652-Y), in advance of your coming, so that we can send a carriage to the station for you. Our office is $2\frac{1}{2}$ miles from either station.

CERTIFICATE OF INSPECTION

Our nurseries are inspected several times each year, by inspectors of the Entomological Division of the Department of Agriculture of the State of Pennsylvania, and are free from insect pests and diseases. A certificate of the Department is attached to all shipments, and will also be furnished to customers if desired.

Deciduous Trees

It is an old saying that "The best is the cheapest in the long run" and this applies probably more nearly to nursery stock than any other thing. The difference in price between a poor tree and a good tree is comparatively little, only a few cents, but the results cannot be measured in dollars and cents.

Our trees are frequently transplanted, to establish a good root system, they are "staked" so that every tree is grown with a perfectly straight trunk and the heads of the trees are kept pruned into symmetrical shape. Our soil is heavily fertilized and the trees are given constant cultivation and no effort spared to produce the very best quality. These facts should all be taken into consideration when comparing our prices with those of other nurseries.

Per 10 Per 100

| | | Per 10 | Per 100 |
|---|--|--------|---------|
| Acer campestre , English Cork Maple | | | |
| 2 to 3 ft. | | 1 75 | 15 00 |
| 4 to 6 ft. | | 3 00 | 25 00 |
| 6 to 8 ft. | | 4 00 | 35 00 |
| " dasycarpum , (eriocarpum) Silver Maple | | | |
| 1 $\frac{3}{4}$ to 2 in. cal. | | 6 50 | |
| 2 to 2 $\frac{1}{4}$ in. cal. | | 7 50 | |
| 2 $\frac{1}{4}$ to 2 $\frac{1}{2}$ in. cal. | | 10 00 | |
| 2 $\frac{1}{2}$ to 2 $\frac{3}{4}$ in. cal. | | 12 50 | |
| 2 $\frac{3}{4}$ to 3 in. cal. | | 13 50 | |
| 3 to 3 $\frac{1}{2}$ in. cal. | | 17 50 | |
| " dasycarpum Wieri, Wier's cutleaved Maple | | | |
| 8 to 10 ft. | | 3 75 | 35 00 |
| 1 $\frac{1}{4}$ to 1 $\frac{1}{2}$ in. cal. | | 6 00 | 50 00 |
| 1 $\frac{1}{2}$ to 1 $\frac{3}{4}$ in. cal. | | 7 50 | 65 00 |
| 1 $\frac{3}{4}$ to 2 in. cal. | | 12 50 | 100 00 |
| 2 to 2 $\frac{1}{4}$ in. cal. | | 13 50 | |
| 2 $\frac{1}{2}$ to 3 in. cal. | | 20 00 | |
| " Negundo , Ash-leaved Maple, Box Elder | | | |
| 6 to 8 ft. | | 2 25 | 20 00 |
| 8 to 10 ft. | | 2 50 | 22 50 |
| " Pennsylvanicum (striatum) Striped Maple, Moosewood | | | |
| 4 to 6 ft. | | 5 00 | |
| 6 to 8 ft. | | 7 50 | |

Norway Maples

Our Norway Maples all have good, straight trunks and branched just right for street planting. They have been several times transplanted and have good fibrous roots.

Mr. John W. Hutchison, Purchasing Agent, Central Park, N. Y., after inspecting and purchasing one hundred of our Specimen Norway Maples, told us that our block of these trees was the finest and most perfect and uniform lot of Norway Maples on the market today. They are planted ten by ten feet apart, have perfectly straight stems, of even height and all evenly branched from the ground.

Acer platanoides, Norway Maple*

| | | | |
|---|--|------|-------|
| 6 to 8 ft. | | 2 75 | 25 00 |
| 8 to 10 ft. | | 3 75 | 35 00 |
| 1 $\frac{1}{4}$ to 1 $\frac{1}{2}$ in. cal. | | 6 00 | 55 00 |

| <i>Acer platanoides</i> , Norway Maple (Cont.) | Per 10 | Per 100 |
|---|--------|---------|
| 1½ to 1¾ in. cal. | 8 00 | 75 00 |
| 1¾ to 2 in. cal. | 12 50 | 100 00 |
| 2 to 2¼ in. cal. | 13 50 | 125 00 |
| 2¼ to 2½ in. cal. | 15 00 | 135 00 |
| 2½ to 2¾ in. cal. | 17 50 | 150 00 |
| 2¾ to 3 in. cal. | 22 50 | 200 00 |
| 3 to 3½ in. cal. | 27 50 | 250 00 |
| 3½ to 4 in. cal. | 32 50 | 300 00 |
| 4 to 5 in. cal. | 40 00 | 350 00 |
| 2½ to 2¾ in. cal. specimen | 27 50 | 250 00 |
| 2¾ to 3 in. cal. specimen | 30 00 | 275 00 |
| 3 to 3½ in. cal. specimen | 32 50 | 300 00 |
| 3½ to 4 in. cal. specimen | 37 50 | 350 00 |
| 4 to 5 in. cal. specimen | 40 00 | |
| " <i>platanoides Schwedleri</i> , Schwedler's purple-leaved Maple | | |
| 6 to 8 ft. | 7 50 | 60 00 |
| 8 to 10 ft. | 10 00 | |
| 1¼ to 1½ in. cal. | 12 50 | 100 00 |
| 1½ to 1¾ in. cal. | 13 50 | 125 00 |
| 1¾ to 2 in. cal. | 16 50 | 150 00 |
| 2 to 2¼ in. cal. | 20 00 | 175 00 |
| 2¼ to 2½ in. cal. | 22 50 | 200 00 |
| 2½ to 2¾ in. cal. | 25 00 | |
| 2¾ to 3 in. cal. | 27 50 | |
| 3 to 3½ in. cal. | 30 00 | |
| " <i>rubrum</i> , Red or Scarlet Maple | | |
| 3 to 4 ft. | 2 75 | 25 00 |
| 4 to 6 ft. | 3 75 | 35 00 |
| 6 to 8 ft. | 6 00 | 50 00 |
| " <i>saccharum</i> , Sugar or Rock Maple | | |
| 6 to 8 ft. | 2 75 | 25 00 |
| 8 to 10 ft. | 3 50 | |
| 1¼ to 1½ in. cal. | 6 00 | |
| 1½ to 1¾ in. cal. | 10 00 | |
| 1¾ to 2 in. cal. | 13 50 | 125 00 |
| 2 to 2¼ in. cal. | 15 00 | |
| 2¼ to 2½ in. cal. | 17 50 | |
| 2½ to 2¾ in. cal. | 20 00 | |
| 2¾ to 3 in. cal. | 22 50 | |
| 3 to 3½ in. cal. | 30 00 | |
| " <i>spicatum</i> , Mountain Maple | | |
| 2 to 3 ft. | 3 00 | |
| " <i>Tataricum</i> , Tartarian Maple | | |
| 2 to 3 ft. | 3 00 | 25 00 |
| 3 to 4 ft. | 3 50 | 30 00 |
| 6 to 8 ft. | 6 00 | |
| " <i>Tataricum Ginnala</i> | | |
| 3 to 4 ft. | 2 25 | 20 00 |
| 4½ to 5 ft. | 3 50 | 30 00 |

Board of Park Commissioners
Minneapolis, Minn.

Edmund J. Phelps, Pres. Thomas Voegeli, Vice Pres.
Theodore Wirth, Superintendent
C. A. Bossen, Asst. Superintendent
J. A. Ridgway, Secretary
C. J. Rockwood, Attorney

May 22, 1914.

Thomas Meehan & Sons,
Dresher, Pa.

Dear Sirs:—

I wish to inform you that the shipment of Wier's cut-leaf maple arrived in good condition yesterday. They are the finest lot of trees it has been my privilege to receive for a good many years.

I also want to compliment you on the care with which they have been dug, which is characteristic of all the goods received from you by us. If all nurserymen were as careful in digging and packing their goods as you are we would have very little to complain of on that account. I have had some great disappointments along this line during the past spring and it gives me pleasure to be able to write a letter of commendation as I have occasion to do now.

With kind regards, I remain,

Yours very truly,

Yours very truly,
BOARD OF PARK COMMISSIONERS,
Theodore Wirth, Supt.

TW-AD

Japanese Maples

"American Grown" is a very fitting remark at this time, and is particularly suited in connection with our Japanese Maples which are all "Pennsylvania grown." Why buy cheap, uneven, hide-bound foreign stock when you can get the very best here at reasonable prices and every plant guaranteed true to name.

| | | Per 10 | Per 100 |
|---|--|--------|---------|
| Acer Japonicum, Green-leaved | | | |
| 1½ to 2 ft. | | 6 50 | |
| 4 to 4½ ft. | | 17 50 | |
| 5 to 5½ ft. | | 20 00 | |
| 6 to 6½ ft. | | 25 00 | |
| 7 to 7½ ft. | | 30 00 | |
| 8 to 8½ ft. | | 35 00 | |
| " Japonicum, Standard or Tree-form | | | |
| 6 to 6½ ft. | | 25 00 | |
| 7 to 7½ ft. | | 30 00 | |
| 8 to 8½ ft. | | 40 00 | |
| " Japonicum aconitifolium, Green-leaved | | | |
| 2½ to 3 ft. | | 10 00 | |
| 3 to 3½ ft. | | 12 50 | |
| 3½ to 4 ft. | | 15 00 | |
| 4 to 4½ ft. | | 17 50 | |
| " Japonicum aureum, Golden-leaved | | | |
| 15 to 18 in. | | 6 50 | |
| 1½ to 2 ft. | | 10 00 | |
| " Japonicum palmatum, Green-leaved | | | |
| 4 to 5 ft. | | 17 50 | |
| 5 to 5½ ft. | | 20 00 | |
| 6 to 6½ ft. | | 25 00 | |
| " polymorphum, Green-leaved | | | |
| 2 to 3 ft. | | 6 00 | 50 00 |
| 3 to 4 ft. | | 10 00 | |
| 4 to 4½ ft. | | 15 00 | |
| 5 to 5½ ft. | | 20 00 | |
| 6 to 6½ ft. | | 22 50 | |
| " polymorphum ampelopsilobum, Green-leaved | | | |
| 1½ to 2 ft. | | 6 50 | |
| 2 to 2½ ft. | | 7 50 | |
| 2½ to 3 ft. | | 10 00 | |
| 3 to 3½ ft. | | 12 50 | |
| 4 to 4½ ft. | | 17 50 | |
| 5 to 5½ ft. | | 20 00 | |
| " polymorphum atropurpureum, Blood-leaved | | | |
| 1½ to 2 ft. | | 6 50 | |
| 2 to 3 ft. | | 10 00 | |
| 3 to 4 ft. | | 12 50 | |
| 4 to 5 ft. | | 15 00 | |
| 5 to 6 ft. | | 20 00 | |
| 6 to 6½ ft. | | 25 00 | |
| 7 to 7½ ft. | | 30 00 | |
| " polymorphum atropurpureum, Standard or Tree-form | | | |
| 5 to 5½ ft. | | 20 00 | |
| 5½ to 6 ft. | | 22 50 | |
| 6 to 6½ ft. | | 25 00 | |
| 6½ to 7 ft. | | 27 50 | |
| 7 to 7½ ft. | | 30 00 | |

| | Per 10 | Per 100 |
|--|--------|---------|
| Acer (Cont.) | | |
| " polymorphum cristatum , Green-crested-leaved | | |
| 2 to 2½ ft. | 10 00 | |
| 2½ to 3 ft. | 12 50 | |
| " polymorphum dissectum , Green cut-leaved | | |
| 1½ to 2 ft. | 7 50 | |
| 2 to 2½ ft. | 10 00 | |
| 2½ to 3 ft. | 12 50 | |
| 3 to 3½ ft. | 15 00 | |
| 4 to 4½ ft. specimen | 22 50 | |
| 4½ to 5 ft. specimen | 25 00 | |
| 5 to 5½ ft. specimen | 30 00 | |
| " polymorphum dissectum , Standard or Tree-form | | |
| 4 to 4½ ft. | 15 00 | |
| 4½ to 5 ft. | 17 50 | |
| 5 to 5½ ft. | 20 00 | |
| 5½ to 6 ft. | 22 50 | |
| 6 to 6½ ft. | 25 00 | |
| 7 to 7½ ft. | 30 00 | |
| " polymorphum dissectum atropurpureum , Purple-cut-leaved | | |
| 1½ to 2 ft. | 7 50 | |
| 2 to 2½ ft. | 10 00 | |
| 2½ to 3 ft. | 12 50 | |
| 3 to 3½ ft. specimen | 17 50 | |
| 3½ to 4 ft. specimen | 20 00 | |
| 4 to 4½ ft. specimen | 22 50 | |
| 4½ to 5 ft. | 25 00 | |
| 5 to 5½ ft. | 27 50 | |
| 5½ to 6 ft. | 30 00 | |
| " polymorphum dissectum atropurpureum , Tree-form | | |
| 4 to 4½ ft. | 15 00 | |
| 4½ to 5 ft. | 17 50 | |
| 5 to 5½ ft. | 20 00 | |
| 5½ to 6 ft. | 22 50 | |
| 6 to 6½ ft. | 25 00 | |
| " polymorphum pinnatifolium atropurpureum | | |
| 2 to 2½ ft. | 10 00 | |
| 2½ to 3 ft. | 12 50 | |
| 3 to 3½ ft. | 15 00 | |
| 3½ to 4 ft. | 20 00 | |
| " polymorphum reticulatum , Green and yellow variegated | | |
| 2 to 2½ ft. | 10 00 | |
| 2½ to 3 ft. | 12 50 | |
| 3 to 3½ ft. | 15 00 | |
| 3½ to 4 ft. | 20 00 | |
| 4 to 4½ ft. | 22 50 | |
| Aesculus rubra , see <i>Pavia rubra</i> | | |
| " Hippocastaneum , European Horse Chestnut | | |
| 1¼ to 1½ in. cal. | 6 00 | |
| 1½ to 1¾ in. cal. | 7 50 | |
| 1¾ to 2 in. cal. | 10 00 | |
| 2 to 2½ in. cal. | 15 00 | |
| 2½ to 3 in. cal. | 17 50 | |
| 3 to 3½ in. cal. | 20 00 | |

**W. A. Marshall
Real Estate and Lumber
30 N. Eighth St.
Shamokin, Pa.**

July 21st, 1915.

Thomas Meehan & Sons,
Dresher, Pa.

Gentlemen:—

I wish to congratulate you on the fine lot of two hundred (200) Norway Maple Trees that I purchased from you for the Shamokin Cemetery, Shamokin, Pa., last spring. Not a single tree has died and all are doing fine. This is due partly to the fine stock, all nice fine, clean trees and to the magnificent root system, a fine hair-like mass of fibrous roots with enough laterals to hold the tree firmly. These trees have been commended by all who have seen them. You certainly deserve much credit for sending out such stock.

Yours truly,
W. A. MARSHALL,
Treasurer, Shamokin Cemetery.

| | | Per 10 | Per 100 |
|---|-------|--------|---------|
| Aesculus (Cont.) | | | |
| “ <i>Hippocastaneum alba plena</i> , double white flowering | | | |
| 1½ to 1½ in. cal. | | 12 50 | |
| 1½ to 2 in. cal. | | 13 50 | |
| 2 to 2½ in. cal. | | 17 50 | |
| 2½ to 3 in. cal. | | 20 00 | |
| 3 to 3½ in. cal. | | 22 50 | |
| 3½ to 4 in. cal. | | 25 00 | |
| 4 to 5 in. cal. | | 30 00 | |
| Ailanthus glandulosa (Japonica) Tree of Heaven | | | |
| 5 to 6 ft. | | 2 25 | 20 00 |
| 8 to 10 ft. | | 3 00 | |
| 10 to 12 ft. | | 5 00 | |
| 12 to 14 ft. | | 7 50 | |
| Alnus glutinosa, European Alder | | | |
| 6 to 8 ft. | | 2 75 | 25 00 |
| “ <i>incana</i> | | | |
| 6 to 8 ft. | | 2 75 | |
| 8 to 10 ft. | | 3 50 | |
| Amygdalus Persica , see <i>Persica</i> , shrub section | | | |
| Andromeda arborea , see <i>Oxydendron</i> | | | |
| Aralia , see shrub section | | | |
| Betula alba, European White Birch | | | |
| 4 to 6 ft. | | 2 75 | 25 00 |
| 6 to 7 ft. | | 3 50 | |
| “ <i>alba laciniata</i> , Cut-leaved Weeping White Birch | | | |
| 6 to 8 ft. | | 6 00 | 55 00 |
| “ <i>alba pyramidalis</i> , Pyramidal White Birch | | | |
| 6 to 8 ft. | | 10 00 | |
| 8 to 10 ft. | | 15 00 | |
| “ <i>lenta</i> , Sweet, Cherry or Black Birch | | | |
| 6 to 8 ft. | | 4 00 | 35 00 |
| 8 to 10 ft. | | 6 00 | 50 00 |
| “ <i>nigra (rubra)</i> Water Birch | | | |
| 3 to 4 ft. | | 3 00 | |
| 4 to 5 ft. | | 4 00 | |
| “ <i>papyrifera (papyracea)</i> Paper or Canoe Birch | | | |
| 6 to 8 ft. | | 4 00 | 35 00 |
| 8 to 10 ft. | | 6 00 | 50 00 |
| 10 to 12 ft. | | 10 00 | 75 00 |
| 12 to 14 ft. | | 12 50 | 100 00 |
| “ <i>populifolia</i> , Poplar or American White Birch | | | |
| 4 to 6 ft. | | 3 00 | 25 00 |
| 10 to 12 ft. | | 10 00 | |
| Carpinus Americana (Carolina) American Hornbeam | | | |
| 5 to 6 ft. | | 3 50 | |
| 6 to 7 ft. | | 5 00 | |
| Catalpa Bungei, Standards | | | |
| 2 year heads, 6 ft. stems | | 6 00 | |
| “ <i>speciosa</i> , Western Catalpa | | | |
| 6 to 8 ft. | | 1 75 | 15 00 |
| 8 to 10 ft. | | 2 25 | 20 00 |
| 1½ to 1½ in. cal. | | 2 75 | 25 00 |
| 1½ to 1¾ in. cal. | | 3 50 | 30 00 |
| 1¾ to 2 in. cal. | | 5 00 | 45 00 |
| 2 to 2¼ in. cal. | | 7 50 | |
| 2¼ to 2½ in. cal. | | 10 00 | |

| | | Per 10 | Per 100 |
|--|--|--------|---------|
| Cedrela sinensis | | | |
| 4 to 6 ft. | | 3 50 | |
| 6 to 8 ft. | | 5 00 | |
| 8 to 10 ft. | | 7 50 | |
| 10 to 12 ft. | | 10 00 | |
| 12 to 14 ft. | | 15 00 | |
| Celtis occidentalis , Nettle, Hackberry | | | |
| 6 to 8 ft. | | 5 00 | |
| 1½ to 1½ in. cal. | | 6 50 | |
| 1½ to 1¾ in. cal. | | 7 50 | |
| 1¾ to 2 in. cal. | | 10 00 | |
| Cerasus Avium rosea fl. pl. double pink flowering Cherry | | | |
| 5 to 6 ft. | | 6 50 | |
| " Japonicum rosea pendula , Weeping rose flowering Cherry | | | |
| 2 year heads | | 10 00 | |
| Cercidiphyllum Japonicum | | | |
| 8 to 10 ft. | | 10 00 | |
| Cercis canadensis , see Shrub section | | | |
| Cladastris tinctoria , Yellow-wood | | | |
| 6 to 7 ft. | | 10 00 | |
| Cornus florida and rubra , see shrub section | | | |
| Cercis canadensis , see shrub section | | | |
| Cytisssus Laburnum , see Laburnum shrub section | | | |
| Fagus sylvatica asplenifolia , Cut-leaved Beech | | | |
| 3 to 4 ft. | | 7 50 | |
| " sylvatica Riversi , Blood-leaved Beech | | | |
| 5 to 6 ft. | | 10 00 | |
| 6 to 8 ft. | | 12 50 | |
| Fraxinus Americana , White Ash | | | |
| 1¼ to 1½ in. cal. | | 3 50 | |
| 1½ to 1¾ in. cal. | | 6 50 | 50 00 |
| 1¾ to 2 in. cal. | | 10 00 | 75 00 |
| 2 to 2¼ in. cal. | | 13 50 | 125 00 |
| 2¼ to 2½ in. cal. | | 17 50 | 150 00 |
| 2½ to 2¾ in. cal. | | 20 00 | |
| " quadrangulata , Blue Ash | | | |
| 6 to 8 ft. | | 4 00 | |
| " viridis (lanceolata) Green Ash | | | |
| 4 to 5 ft. | | 2 50 | 20 00 |
| 8 to 10 ft. | | 3 50 | 30 00 |
| Ginkgo , see Salisburia | | | |
| Gleditschia triacanthos , Honey Locust | | | |
| 4 to 6 ft. | | 2 25 | 20 00 |
| 6 to 8 ft. | | 3 25 | 30 00 |
| 8 to 10 ft. | | 6 50 | 50 00 |
| 1¼ to 1½ in. cal. | | 8 50 | 75 00 |
| 1½ to 1¾ in. cal. | | 10 00 | |
| 1¾ to 2 in. cal. | | 12 50 | |
| 2 to 2½ in. cal. | | 15 00 | |
| Gmynocladus canadensis , (<i>dioica</i>) Kentucky Coffee Tree | | | |
| 8 to 9 ft. | | 4 50 | 40 00 |
| 1¼ to 1½ in. cal. | | 6 50 | 50 00 |
| 1½ to 1¾ in. cal. | | 7 50 | 60 00 |
| 1¾ to 2 in. cal. | | 10 00 | |
| 2 to 2¼ in. cal. | | 12 50 | |
| 2¼ to 2½ in. cal. | | 15 00 | |
| 2½ to 2¾ in. cal. | | 20 00 | |

W. W. DAVIS, Pres. A. E. FOWLIE, Sec. and Treas. H. K. DAVIS, Vice Pres.

Great Neck Hills

Owned by

Great Neck Improvement Company

Office on the Property
Great Neck Station
Long Island

New York Office
1047 Marbridge Bldg.
1328 Broadway

New York, February 2nd, 1915.

Thomas Meehan & Sons,
Dresher, Pa.

Gentlemen:—

In the spring of 1914 I was entrusted with the preparations for, and selection of, trees for double rows of planting on both sides of a new avenue being laid out at Great Neck Hills, Long Island, a suburban development within twenty-five minutes of the Pennsylvania Station.

The avenue in question will be the most imposing of the newer section of this handsome property, so I visited three States in the selection of trees for this thoroughfare. Being impressed with the quality of your Sweet Gums and your offer to furnish the trees dug with ball of earth and ball enclosed in burlap, and to guarantee 90 per cent. of thrifty, living trees, three months after trees were transplanted, led me to contract with you for 91 Sweet Gums of a uniform habit of growth, allowing therefor a variation in trunk diameter of $2\frac{1}{4}$ to $3\frac{1}{2}$ inches.

In approving your bill this day for settlement in full of final payment, I am pleased to inform you that although soil and atmospheric conditions were most unfavorable to a successful undertaking, the transplanting was most satisfactory and every tree lived.

Yours truly,
C. S. VAN NUIS,
Agronomist for Great Neck Improvement Co.

| | | Per 10 | Per 100 |
|--|-------|--------|---------|
| <i>Juglans cinerea</i> , Butternut | | | |
| 4 to 5 ft. | 2 50 | 20 00 | |
| " <i>nigra</i> , Black Walnut | 2 25 | 18 00 | |
| 4 to 5 ft. | 2 25 | 20 00 | |
| " <i>regia</i> , English Walnut, Madeira Nut | 2 25 | 20 00 | |
| 2 to 3 ft. | 3 25 | 30 00 | |
| <i>Koelreuteria paniculata</i> , Varnish Tree | | | |
| 4 to 6 ft. | 5 00 | | |
| 6 to 8 ft. | | | |
| <i>Laburnum vulgare</i> , see shrub section | | | |
| <i>Larix Europaea</i> (decidua) European Larch | | | |
| 2 to 3 ft. | 1 75 | 15 00 | |
| 3 to 3½ ft. | 2 25 | 20 00 | |
| 8 to 10 ft. | 7 50 | | |
| 10 to 12 ft. | 12 50 | | |
| " <i>leptolepis</i> (Kaempferi) Japanese Larch | | | |
| 4 to 5 ft. | 10 00 | | |
| <i>Liquidambar styraciflua</i> , Sweet Gum | | | |
| 1 to 1¼ in. cal. | 7 50 | 65 00 | |
| 1¼ to 1½ in. cal. | 10 00 | 85 00 | |
| 1½ to 1¾ in. cal. | 12 50 | 100 00 | |
| 1¾ to 2 in. cal. | 13 50 | 125 00 | |
| 2 to 2¼ in. cal. | 15 00 | 135 00 | |
| 2¼ to 2½ in. cal. | 17 50 | 150 00 | |
| 2½ to 2¾ in. cal. | 20 00 | 175 00 | |
| 2¾ to 3 in. cal. | 25 00 | 200 00 | |
| 3 to 3½ in. cal. | 27 50 | 250 00 | |
| 3½ to 4 in. cal. | 30 00 | | |
| 4 to 5 in. cal. | 40 00 | | |

WRITE FOR PRICES ON LIQUIDAMBAR BALLED AND BURLAPPED.

Magnolia acuminata, Cucumber Tree

| | |
|--|-------|
| 3 to 4 ft. | 3 50 |
| 4 to 6 ft. | 4 00 |
| " <i>glauca</i> (Virginiana) Sweet or Swamp Magnolia | |
| 3½ to 4 ft. with ball | 10 00 |
| 4½ to 5 ft. with ball | 15 00 |
| 5½ to 6 ft. with ball | 20 00 |
| 7 to 8 ft. with ball | 25 00 |
| 9 to 10 ft. with ball | 30 00 |


MAGNOLIA

Large Flowered Chinese Varieties.

Magnolia alba superba, white

| | |
|---|-------|
| 2 to 3 ft. with ball | 10 00 |
| 3 to 4 ft. with ball | 13 50 |
| 4 to 5 ft. with ball | 15 00 |
| " <i>Alexandrina</i> , White, pink center | |
| 2 to 3 ft. with ball | 10 00 |
| 3 to 4 ft. with ball | 13 50 |
| " <i>Lennei</i> , Large, purple-flowered | |
| 2 to 3 ft. with ball | 10 00 |
| 3 to 4 ft. with ball | 13 50 |
| 4 to 5 ft. with ball | 15 00 |
| 5 to 6 ft. with ball | 17 50 |

| | | Per 10 | Per 100 |
|---|--|--------|---------|
| Magnolia (Cont.) | | | |
| " <i>purpurea</i> (obovata) Purple | | | |
| 3 to 4 ft. with ball | | 8 50 | |
| 4 to 5 ft. with ball | | 10 00 | |
| 5 to 6 ft. with ball | | 15 00 | |
| 6 to 7 ft. with ball | | 20 00 | |
| 6 to 8 ft. extra heavy clumps | | 30 00 | |
| " <i>Soulangeana</i> , Large pink flowered | | | |
| 2 to 3 ft. with ball | | 10 00 | |
| 3 to 4 ft. with ball | | 13 50 | |
| 4 to 5 ft. with ball | | 15 00 | |
| " <i>Soulangeana nigra</i> , dark pink flowered | | | |
| 4 to 4½ ft. with ball | | 17 50 | |
| 5 to 5½ ft. with ball | | 20 00 | |
| 6 to 6½ ft. with ball | | 25 00 | |
| " <i>speciosa</i> , Early pink flowered | | | |
| 3 to 4 ft. with ball | | 13 50 | |
| 4 to 5 ft. with ball | | 15 00 | |
| 5 to 6 ft. with ball | | 17 50 | |
| " <i>stellata</i> (Halleana) Hall's white star flowered | | | |
| 1½ to 2 ft. with ball | | 10 00 | |
| 2 to 3 ft. with ball | | 12 50 | |
| 3 to 4 ft. with ball | | 15 00 | |
| 5 to 6 ft. with ball | | 35 00 | |
| Malus coronaria (Pyrus) Sweet scented Crab | | | |
| 3 to 4 ft. | | 3 50 | 30 00 |
| 4 to 5 ft. | | 4 50 | 40 00 |
| 6 to 7 ft. | | 6 50 | 50 00 |
| 8 to 10 ft. | | 7 50 | 65 00 |
| " <i>floribunda atrosanguinea</i> , Single pink | | | |
| 3 to 4 ft. | | 3 50 | |
| " <i>ioensis</i> , Bechtel's double flowering | | | |
| 3 to 4 ft. | | 3 50 | |
| 4 to 5 ft. | | 4 00 | |
| " <i>Niedzwetzkyana</i> , single, pink | | | |
| 4 to 5 ft. | | 3 50 | |
| " <i>Scheideckeri</i> , double pink | | | |
| 3 to 4 ft. | | 3 50 | |
| Morus Tatarica, Russian Mulberry | | | |
| 6 to 8 ft. | | 1 50 | |
| " <i>Tatarica</i> , Meehan's Globe Headed | | | |
| 2 year heads | | 12 50 | |
| " <i>Tatarica</i> , Tea's Weeping Mulberry | | | |
| 1 year head | | 6 50 | |
| Negundo, see Acer negundo | | | |
| Ostrya Virginica, Iron Wood | | | |
| 3 to 4 ft. | | 4 00 | |
| 4 to 6 ft. | | 5 00 | |
| 6 to 8 ft. | | 7 50 | |
| Oxydendron arboreum (Andromeda) Sorrel-tree | | | |
| 2 to 3 ft. | | 3 50 | |
| Pavia rubra, Pink flowered Buck-eye | | | |
| 1½ to 2 in. cal. | | 7 50 | |
| 2 to 2½ in. cal. | | 10 00 | |
| Persica, Flowering peach, see shrubs | | | |



Meehan's Globe Head Mulberry

Introduced by us last spring for the first time.

It is as hardy as the Tea's Weeping Mulberry and more attractive and better than Catalpa Bungei.

Supply for this year limited. Place your order early to insure delivery.

Price, two year heads \$1.25 each.

| | | Per 10 | Per 100 |
|--|-------|--------|---------|
| Phellodendron Japonicum | | | |
| 1½ to 1¾ in. cal. | | 10 00 | |
| 2 to 2¼ in. cal. | | 15 00 | |
| 2½ to 2¾ in. cal. | | 20 00 | |
| Platanus orientalis, European Sycamore, Plane | | | |
| 4 to 6 ft. | | 2 25 | 20 00 |
| 6 to 8 ft. | | 2 75 | 25 00 |
| 8 to 10 ft. | | 3 50 | 30 00 |
| 1¼ to 1½ in. cal. | | 6 00 | 50 00 |
| 1½ to 1¾ in. cal. | | 8 50 | 75 00 |
| 1¾ to 2 in. cal. | | 12 50 | 100 00 |
| 2 to 2¼ in. cal. | | 17 50 | 150 00 |
| 2½ to 2½ in. cal. | | 20 00 | |
| Populus alba Bolleana, Bolle's Silver Poplar | | | |
| 4 to 6 ft. | | 1 50 | 12 50 |
| 6 to 8 ft. | | 2 00 | 15 00 |
| 8 to 10 ft. | | 3 00 | 25 00 |
| 1¼ to 1½ in. cal. | | 3 50 | |
| 1½ to 2 in. cal. | | 5 00 | |
| 2 to 2½ in. cal. | | 7 50 | |
| 2½ to 3 in. cal. | | 12 50 | |
| " nigra fastigiata, (Italica) Lombardy Poplar | | | |
| 4 to 6 ft. | | 1 50 | 12 50 |
| 6 to 8 ft. | | 1 75 | 15 00 |
| 8 to 10 ft. | | 2 50 | 20 00 |
| 1½ to 1¾ in. cal. | | 5 00 | 40 00 |
| 1¾ to 2 in. cal. | | 7 50 | 60 00 |
| 2 to 2¼ in. cal. | | 10 00 | |
| Prunus Pissardi, see shrub section | | | |
| Pyrus Bechtel's and other flowering Apples, see Malus | | | |
| Quercus bicolor (platanoides) Swamp White Oak | | | |
| 6 to 8 ft. | | 8 50 | 75 00 |
| 8 to 10 ft. | | 10 00 | 85 00 |
| 1¼ to 1½ in. cal. | | 12 50 | 100 00 |
| 1½ to 1¾ in. cal. | | 13 50 | 125 00 |
| 1¾ to 2 in. cal. | | 15 00 | |
| 2 to 2¼ in. cal. | | 17 50 | |
| 2½ to 2½ in. cal. | | 20 00 | |
| 2½ to 2¾ in. cal. | | 25 00 | |
| 3 to 3½ in. cal. | | 30 00 | |
| " coccinea, Scarlet Oak | | | |
| 6 to 8 ft. | | 8 00 | 75 00 |
| 8 to 10 ft. | | 10 00 | 85 00 |
| 1¼ to 1½ in. cal. | | 12 50 | 100 00 |
| 1½ to 1¾ in. cal. | | 13 50 | 125 00 |
| 1¾ to 2 in. cal. | | 16 50 | 150 00 |
| 2 to 2¼ in. cal. | | 17 50 | |
| 2½ to 2½ in. cal. | | 20 00 | |
| 2½ to 2¾ in. cal. | | 25 00 | |
| 2¾ to 3 in. cal. | | 30 00 | |
| 3 to 3½ in. cal. | | 35 00 | |
| 3½ to 4 in. cal. | | 40 00 | |
| " imbricaria, Shingle Oak | | | |
| 4 to 6 ft. | | 6 00 | 50 00 |
| 6 to 8 ft. | | 8 00 | 75 00 |
| 8 to 10 ft. | | 10 00 | 85 00 |
| 1¼ to 1½ in. cal. | | 12 50 | 100 00 |
| 1½ to 1¾ in. cal. | | 13 50 | |
| 1¾ to 2 in. cal. | | 17 50 | |

| Quercus (Cont.) | | Per 10 | Per 100 |
|--|-------|--------|---------|
| “ <i>macrocarpa</i> , Bur or Mossy cup Oak | | | |
| 1½ to 1½ in. cal. | 10 00 | | |
| 1½ to 1¾ in. cal. | 12 50 | | |
| 1¾ to 2 in. cal. | 15 00 | | |
| 2 to 2¼ in. cal. | 17 50 | | |
| 2¼ to 2½ in. cal. | 20 00 | | |
| “ <i>palustris</i> , Pin Oak | | | |
| 6 to 8 ft. | 7 50 | 60 00 | |
| 8 to 10 ft. | 8 50 | 75 00 | |
| 1¼ to 1½ in. cal. | 12 50 | 100 00 | |
| 1½ to 1¾ in. cal. | 15 00 | 125 00 | |
| 1¾ to 2 in. cal. | 17 50 | 150 00 | |
| 2 to 2¼ in. cal. | 20 00 | | |
| 2¼ to 2½ in. cal. | 22 50 | | |
| 2½ to 2¾ in. cal. | 25 00 | | |
| “ <i>rubra</i> , Red Oak | | | |
| 4 to 6 ft. | 6 50 | 60 00 | |
| 6 to 8 ft. | 8 50 | 75 00 | |
| 8 to 10 ft. | 10 00 | 90 00 | |
| 1¼ to 1½ in. cal. | 12 50 | 100 00 | |
| 1½ to 1¾ in. cal. | 13 50 | 125 00 | |
| 1¾ to 2 in. cal. | 17 50 | 150 00 | |
| 2 to 2¼ in. cal. | 18 50 | 175 00 | |
| 2¼ to 2½ in. cal. | 20 00 | | |
| 2½ to 2¾ in. cal. | 25 00 | | |
| “ <i>tinctoria</i> (velutina) Black Oak | | | |
| 6 to 8 ft. | 7 50 | | |
| 8 to 10 ft. | 8 50 | | |
| 1¼ to 1½ in. cal. | 10 00 | | |
| 1½ to 2 in. cal. | 15 00 | | |
| 2 to 2½ in. cal. | 17 50 | | |
| 2½ to 3 in. cal. | 20 00 | | |
| 3 to 3½ in. cal. | 25 00 | | |
| Robinia <i>pseudo-acacia</i> , Yellow or Black Locust | | | |
| 5 to 6 ft. | 1 25 | 10 00 | |
| 6 to 8 ft. | 1 50 | 12 00 | |
| 8 to 10 ft. | 1 75 | 15 00 | |
| 10 to 12 ft. | 3 50 | 30 00 | |
| Salisburia <i>adiantifolia</i> (Ginkgo biloba) Maidenhair Tree | | | |
| 4 to 6 ft. | 3 00 | 25 00 | |
| 6 to 8 ft. | 4 00 | 35 00 | |
| 1¼ to 1½ in. cal. | 8 50 | 75 00 | |
| 1½ to 1¾ in. cal. | 13 50 | 100 00 | |
| 1¾ to 2 in. cal. | 17 50 | 150 00 | |
| 2 to 2¼ in. cal. | 20 00 | | |
| 2¼ to 2½ in. cal. | 22 50 | | |
| Salix <i>alba</i> , White Willow | | | |
| 6 to 8 ft. | 3 00 | 25 00 | |
| 8 to 10 ft. | 3 75 | 35 00 | |
| “ <i>Babylonica aurea pendula</i> , Golden Weeping Willow | | | |
| 6 to 8 ft. | 2 50 | | |
| “ <i>caprea</i> , Pussy Willow | | | |
| 2 to 3 ft. | 1 25 | 12 00 | |
| 3½ to 4 ft. | 1 75 | 15 00 | |
| 8½ to 9 ft. | 7 50 | | |
| “ <i>pentandra</i> (laurifolia) Laurel-leaved Willow | | | |
| 10 to 12 ft. | 5 00 | | |


| | | Per 10 | Per 100 |
|--|-------|--------|---------|
| Salix (Cont.) | | | |
| “ <i>regalis</i> , White-leaved Willow | | | |
| 3 to 4 ft. | 1 75 | 15 00 | |
| 5 to 6 ft. | 2 25 | 20 00 | |
| 6 to 8 ft. | 3 00 | 25 00 | |
| “ <i>rosmarinifolia</i> (<i>incana petiolaris</i>) Rosemary Willow | | | |
| 3 to 4 ft. bushy | 1 75 | 15 00 | |
| “ <i>vitellina aurea</i> , Golden-barked Willow | | | |
| 9 to 10 ft. | 4 00 | 35 00 | |
| “ <i>vitellina Britzensis</i> , Red-barked Willow | | | |
| 8 to 8½ ft. | 4 00 | 35 00 | |
| Sophora Japonica , Pagoda Tree | | | |
| 2 to 3 ft. | 2 00 | | |
| 3 to 4 ft. | 3 50 | | |
| 4 to 5 ft. | 5 00 | | |
| 5 to 6 ft. | 6 00 | | |
| 6 to 8 ft. | 7 50 | | |
| 1 inch cal. | 8 50 | | |
| 1¼ to 1½ in. cal. | 10 00 | | |
| Sorbus Americana , American Mountain Ash | | | |
| 6 to 8 ft. | 7 50 | | |
| “ <i>Aucuparia</i> , European Mt. Ash, Rowan Tree | | | |
| 6 to 8 ft. | 3 50 | | |
| 10 to 12 ft. | 6 00 | | |
| “ <i>Aucuparia aria lutescens</i> , Silver-leaved | | | |
| 6 to 7 ft. | 5 00 | | |
| Styrax Japonica , see shrub section | | | |
| Taxodium distichum , Bald or Deciduous Cypress | | | |
| 2 to 3 ft. | 2 50 | | |
| 3 to 4 ft. | 3 00 | | |
| 4 to 5 ft. | 3 50 | | |
| Tilia alba argentea (<i>tomentosa</i>) White-leaved Linden | | | |
| 1½ to 1¾ in. cal. | 15 00 | | |
| 1¾ to 2 in. cal. | 17 50 | 175 00 | |
| 2 to 2¼ in. cal. | 20 00 | 200 00 | |
| 2¼ to 2½ in. cal. | 22 50 | 225 00 | |
| 2½ to 2¾ in. cal. | 25 00 | 250 00 | |
| 2¾ to 3 in. cal. | 27 50 | 275 00 | |
| 3 to 3½ in. cal. | 30 00 | 300 00 | |
| 3½ to 4 in. cal. | 35 00 | 350 00 | |
| 4 to 5 in. cal. | 40 00 | | |



Tilia dasystyla (euchlora) Yellow Twigged Linden

The yellow-twigged or Crimean Linden is a tree which in the past has been little used for street planting. Four years ago we induced the Shade Tree Commission of East Orange, New Jersey, to plant one street with these trees to prove their desirability for this purpose. In a letter received from Mr. Ernest H. Bennett, Supervising Foreman for the Commission, he writes "the trees were planted in the Fall of 1911, on Kenwood place. There are in all seventy-five trees in perfect condition, not having lost a single tree. The trees are very uniform in size and make a beautiful showing, and I predict that this will be one of our most beautiful streets, they are so regular in their growth. We feel proud of our trees."

The tree is very symmetrical in its growth. The foliage is light green with bright shiny surface, remaining on the tree without changing color until late in the fall.



Tilia Europaea, European Linden

Our stock of European Lindens in the 3 to $3\frac{1}{2}$ and $3\frac{1}{2}$ to 4 inch calliper grades consists of about twelve hundred trees, all of which have been transplanted within the last three years. Every tree has a perfectly straight trunk, a well developed head, and is branched from six to seven feet from the ground. They are perfect trees for street planting.

Tilia (Cont.)

Per 10 Per 100

| | | | |
|--|-------|--------|--|
| " Americana (Caroliniana) American Linden, Basswood | | | |
| 6 to 8 ft. | 3 50 | 35 00 | |
| 8 to 10 ft. | 4 00 | 40 00 | |
| 1½ to 1½ in. cal. | 5 00 | 50 00 | |
| 1½ to 1¾ in. cal. | 6 50 | 65 00 | |
| 1¾ to 2 in. cal. | 9 00 | 90 00 | |
| 2 to 2¼ in. cal. | 10 00 | 100 00 | |
| 2½ to 2½ in. cal. | 12 50 | 125 00 | |
| 2½ to 2¾ in. cal. | 15 00 | 150 00 | |
| 2¾ to 3 in. cal. | 20 00 | 200 00 | |
| 3 to 3½ in. cal. | 25 00 | 250 00 | |
| 3½ to 4 in. cal. | 30 00 | 300 00 | |
| 4 to 4½ in. cal. | 35 00 | 350 00 | |

" dasystila (euchlora) Crimean Linden

| | | |
|------------------------|-------|--------|
| 1¾ to 2 in. cal. | 15 00 | 150 00 |
| 2 to 2¼ in. cal. | 17 50 | 175 00 |
| 2½ to 2½ in. cal. | 20 00 | 200 00 |
| 2½ to 2¾ in. cal. | 22 50 | 225 00 |
| 2¾ to 3 in. cal. | 25 00 | 250 00 |
| 3 to 3½ in. cal. | 27 50 | 275 00 |
| 3½ to 4 in. cal. | 30 00 | 300 00 |

" Europaea, European Linden

| | | |
|------------------------|-------|--------|
| 1¾ to 2 in. cal. | 12 50 | |
| 2 to 2¼ in. cal. | 15 00 | |
| 2½ to 2½ in. cal. | 17 50 | |
| 2½ to 2¾ in. cal. | 20 00 | 200 00 |
| 2¾ to 3 in. cal. | 22 50 | 225 00 |
| 3 to 3½ in. cal. | 30 00 | 300 00 |
| 3½ to 4 in. cal. | 35 00 | 350 00 |
| 4 to 5 in. cal. | 40 00 | 400 00 |

" platyphyllus, Broad-leaved European Linden

| | | |
|------------------------|-------|--|
| 1½ to 1¾ in. cal. | 6 00 | |
| 1¾ to 2 in. cal. | 8 50 | |
| 2 to 2¼ in. cal. | 10 00 | |
| 2½ to 2½ in. cal. | 12 50 | |
| 2½ to 2¾ in. cal. | 17 50 | |
| 2¾ to 3 in. cal. | 20 00 | |
| 3 to 3½ in. cal. | 25 00 | |
| 3½ to 4 in. cal. | 30 00 | |

Ulmus Americana, White, or American Elm

| | | |
|------------------------|-------|--------|
| 1¼ to 1½ in. cal. | 5 00 | 50 00 |
| 1½ to 1¾ in. cal. | 6 00 | 60 00 |
| 1¾ to 2 in. cal. | 10 00 | 100 00 |
| 2 to 2¼ in. cal. | 13 50 | 135 00 |
| 2½ to 2½ in. cal. | 17 50 | 175 00 |

Ulmus (Cont.)**" Americana**

| | Per 10 | Per 100 |
|----------------------------------|--------|---------|
| 2½ to 2¾ in. cal. | 22 50 | 225 00 |
| 2¾ to 3 in. cal. | 25 00 | |
| 3 to 3½ in. cal. | 27 50 | |
| 3½ to 4 in. cal. | 30 00 | |
| 4 to 5 in. cal. | 35 00 | |
| 2½ to 2¾ in. cal. specimen | 30 00 | |
| 2¾ to 3 in. cal. specimen | 35 00 | |
| 3 to 3½ in. cal. specimen | 40 00 | |
| 3½ to 4 in. cal. specimen | 50 00 | |
| 4 to 5 in. cal. specimen | 60 00 | |
| 5 to 6 in. cal. specimen | 70 00 | |

" Campestris Wheatleyii

| | | |
|------------------------|-------|--------|
| 1¼ to 1½ in. cal. | 12 50 | 100 00 |
| 1½ to 1¾ in. cal. | 13 50 | 125 00 |
| 1¾ to 2 in. cal. | 17 50 | 150 00 |
| 2 to 2¼ in. cal. | 20 00 | |
| 2¼ to 2½ in. cal. | 22 50 | |
| 2½ to 3 in. cal. | 25 00 | |

" latifolia, Scotch Elm

| | | |
|------------------------|-------|--------|
| 6 to 8 ft. | 2 75 | 25 00 |
| 8 to 10 ft. | 4 00 | 35 00 |
| 1¼ to 1½ in. cal. | 5 00 | 45 00 |
| 1½ to 1¾ in. cal. | 7 50 | 60 00 |
| 1¾ to 2 in. cal. | 10 00 | 85 00 |
| 2 to 2¼ in. cal. | 12 50 | 100 00 |
| 2¼ to 2½ in. cal. | 13 50 | 125 00 |
| 2½ to 2¾ in. cal. | 15 00 | |
| 3 to 3½ in. cal. | 20 00 | |

" parvifolia, Japanese Elm

| | |
|------------------------|-------|
| 1 to 1¼ in. cal. | 6 00 |
| 1¼ to 1½ in. cal. | 7 50 |
| 1½ to 1¾ in. cal. | 10 00 |
| 1¾ to 2 in. cal. | 15 00 |

" racemosa, Cork-barked Elm

| | |
|------------------------|-------|
| 2½ to 2¾ in. cal. | 20 00 |
| 3 to 3½ in. cal. | 25 00 |

Virgilea lutea, see Cladastris**Zanthoxylum piperitum, Japanese Prickley Ash**

| | |
|------------------|------|
| 3½ to 4 ft. | 3 50 |
| 4½ to 5 ft. | 5 00 |

The State Teachers College Greeley, Colorado.

R. G. Dempsey
Superintendent of Grounds

June 23, 1915.

Thomas Meehan & Sons,
Dresher, Pa.

Gentlemen:—

The trees and shrubs which were ordered of you have been received and are planted and all growing nicely. We wish to express our entire satisfaction with the quality of the goods and the thorough packing.

We have been using your trees, shrubs, roses and herbaceous plants for eight years and they have always given complete satisfaction. We have at present about 20,000 of your plants on our campus and they are all doing fine.

Very truly yours,
R. G. DEMPSEY,
Supt. of Grounds.

Deciduous Shrubs

Per 10 Per 100

| | | | |
|---|-------|-------|--|
| Abelia grandiflora, Hybrid Abelia | | | |
| 10 to 12 in. 4 inch pots | 2 50 | | |
| Althaea, see Hibiscus | | | |
| Amelanchier Botryapium (Canadensis) June-berry | | | |
| 1½ to 2 ft. | 1 25 | 10 00 | |
| 2 to 3 ft. | 1 35 | 12 00 | |
| Amorpha canescens, Lead Plant | | | |
| 1 to 1½ ft. | 1 00 | 8 00 | |
| 1½ to 2 ft. | 1 25 | 10 00 | |
| " fruticosa, False Indigo | | | |
| 2 to 3 ft. | 1 00 | 8 00 | |
| 3 to 4 ft. | 1 25 | 10 00 | |
| Amygdalus nana, Double Pink Flowering Almond | | | |
| 2 to 3 ft. | 1 75 | 15 00 | |
| " nana, Double White Flowering Almond | | | |
| 2 to 3 ft. | 1 75 | 15 00 | |
| " Persica, see Prunus Persica | | | |
| Andromeda arborea, see Oxydendron | | | |
| " floribunda, (Pieris) | | | |
| 2 to 2½ ft. | 12 50 | | |
| " racemosa | | | |
| 1½ to 2 ft., bushy | 2 50 | | |
| Aralia Japonica | | | |
| 2 to 3 ft. | 1 25 | 12 00 | |
| 3 to 4 ft. | 1 75 | 15 00 | |
| 4 to 5 ft. | 2 25 | 20 00 | |
| " pentaphylla (Acanthopanax) | | | |
| 2 to 3 ft. | 1 25 | 10 00 | |
| 3 to 4 ft. | 1 35 | 12 00 | |
| Aronia arbutifolia, red Choke-berry | | | |
| 2 to 3 ft. | 2 00 | 18 00 | |
| " melanocarpa (nigra), black Choke-berry | | | |
| 1½ to 2 ft. | 1 00 | 8 00 | |
| 2 to 3 ft. | 1 25 | 10 00 | |
| 3 to 4 ft. | 1 35 | 12 00 | |
| Aucuba Japonica aurea, golden-leaved | | | |
| 3 ft., heavy | 10 00 | | |
| " Japonica viridis, green-leaved | | | |
| 2½ ft., heavy | 10 00 | | |
| Azalea amoena, Evergreen Azalea | | | |
| 12 to 15 in., broad | 7 50 | | |
| 15 to 18 in., broad | 10 00 | | |
| " amoena Hinodegiri, Japanese evergreen Azalea | | | |
| 12 to 15 in., broad | 10 00 | | |
| " Kaempferi, salmon pink | | | |
| 12 to 15 in., bushy | 7 50 | | |
| " Mollis, Red | | | |
| 2 ft., | 5 00 | | |
| " nudiflora, pink | | | |
| 1 to 1½ ft., bushy | 2 00 | | |
| " viscosa, white | | | |
| 12 to 15 in., bushy | 2 75 | 25 00 | |
| 15 to 18 in., clumps | 3 50 | 30 00 | |

| | | Per 10 | Per 100 |
|--|--|--------|---------|
| Baccharis halimifolia, Groundsel Shrub | | | |
| 2 to 3 ft. | | 1 25 | 10 00 |
| 3 to 4 ft. | | 1 35 | 12 00 |
| 4 to 5 ft. | | 1 75 | 15 00 |
| Benzoin oderiferum, see Lindera Benzoin | | | |
| Berberis aquifolia, see Mahonia | | | |
| “ ilicifolia, Holly-leaved Barberry | | | |
| 1½ to 2 ft. | | 1 50 | 15 00 |
| 2 to 2½ ft. | | 2 00 | 20 00 |
| “ Sieboldi | | | |
| 1½ to 2 ft. | | 1 50 | 15 00 |
| “ Thunbergii, Japanese Barberry | | | |
| 1 to 1½ ft. \$ 60.00 per 1000 .. | | 75 | 7 00 |
| 1½ to 2 ft. 80.00 per 1000 .. | | 1 00 | 9 00 |
| 2 to 2½ ft. 100.00 per 1000 .. | | 1 25 | 11 00 |
| 2½ to 3 ft. | | 1 50 | 15 00 |
| “ vulgaris, green Barberry | | | |
| 1½ to 2 ft. | | 75 | 6 00 |
| 2 to 3 ft. | | 1 00 | 8 00 |
| 3 to 4 ft. | | 1 25 | 10 00 |
| “ vulgaris purpurea, purple-leaved Barberry | | | |
| 1 to 1½ ft. | | 65 | 5 00 |
| 1½ to 2 ft. | | 75 | 6 00 |
| 2 to 3 ft. | | 1 00 | 9 00 |
| 3 to 4 ft. | | 1 25 | 12 00 |
| Buddleia variabilis, Butterfly bush | | | |
| 2 to 3 ft. | | 1 25 | 12 00 |
| Callicarpa Japonica | | | |
| 1½ to 2 ft. | | 1 50 | |
| 3 to 4 ft. | | 1 75 | |
| Calluna vulgaris, Heather | | | |
| 6 to 8 in. 3½ inch pots | | 2 50 | 25 00 |
| Calycanthus floridus, Sweet Shrub | | | |
| 1½ to 2 ft. | | 1 25 | 10 00 |
| 2 to 3 ft. | | 1 35 | 12 00 |
| Caragana arborescens, Siberian Pea | | | |
| 2 to 3 ft. | | 1 00 | 8 00 |
| 3 to 4 ft. | | 1 25 | 10 00 |
| 4 to 5 ft. | | 1 75 | 15 00 |
| 5 to 6 ft. | | 2 25 | 20 00 |
| Caryopteris Mastacanthus, “Blue Spiraea” | | | |
| 1½ to 2 ft. | | 1 25 | 10 00 |
| Ceanothus Americanus, New Jersey Tea | | | |
| 1 to 1½ ft. | | 1 00 | 8 00 |
| 1½ to 2 ft. | | 1 25 | 10 00 |
| Cephaelanthus occidentalis, Dwarf Button-bush | | | |
| 2 to 3 ft. | | 1 25 | 10 00 |
| 3 to 4 ft. | | 1 35 | 12 00 |
| 4 to 5 ft. | | 1 75 | 15 00 |
| Cerasus Laurocerasus, English Laurel | | | |
| 4 ft., heavy | | 10 00 | |
| Cercis canadensis, Judas Tree, Red Bud | | | |
| 2 to 3 ft. | | 1 25 | 12 00 |
| 3 to 4 ft. | | 1 75 | 15 00 |
| 4 to 5 ft. | | 2 25 | 20 00 |
| 5 to 6 ft. | | 3 00 | 25 00 |

| | | Per 10 | Per 100 |
|---|------|--------|---------|
| Chionanthus Virginica, White Fringe | | | |
| 2 to 3 ft. | 1 75 | 15 00 | |
| 3 to 4 ft. | 2 25 | 20 00 | |
| 4 to 5 ft. | 3 50 | 35 00 | |
| Clethra alnifolia, Sweet Pepper-bush | | | |
| 1 to 1½ ft. | 1 00 | 8 00 | |
| 1½ to 2 ft. | 1 25 | 10 00 | |
| 2 to 3 ft. | 1 35 | 12 00 | |
| Colutea arborescens, Bladder Sena | | | |
| 2 to 3 ft. | 1 00 | 8 00 | |
| 3 to 4 ft. | 1 25 | 10 00 | |
| 4 to 5 ft. | 1 35 | 12 00 | |
| Corchorus , see Kerria | | | |
| Cornus alba (Siberica) Red-stemmed Dogwood | | | |
| 2 to 3 ft. | 1 00 | 8 00 | |
| 3 to 4 ft. | 1 25 | 10 00 | |
| “ alternifolia , Blue Dogwood | | | |
| 1½ to 2 ft. | 1 25 | 10 00 | |
| 2 to 3 ft. | 1 35 | 12 00 | |
| 3 to 4 ft. | 1 75 | 15 00 | |
| “ florida , White flowering Dogwood | | | |
| 2 to 3 ft. | 2 50 | | |
| 3 to 4 ft. | 3 50 | | |
| 4 to 5 ft. | 4 00 | | |
| “ florida rubra , Red flowering Dogwood | | | |
| 2 to 3 ft. | 6 50 | | |
| 3 to 4 ft. | 8 50 | | |
| “ Mas , Cornelian Cherry | | | |
| 2 to 3 ft. | 1 25 | 10 00 | |
| 3 to 4 ft. | 1 75 | 15 00 | |
| “ paniculata (Canadensis) | | | |
| 2 to 3 ft. | 1 75 | 16 00 | |
| 3 to 4 ft. | 2 25 | 20 00 | |
| “ sanguinea , English Dogwood | | | |
| 2 to 3 ft. | 1 25 | 10 00 | |
| “ sericea (Amomum) Silky Dogwood | | | |
| 2 to 3 ft. | 1 00 | 8 00 | |
| 3 to 4 ft. | 1 25 | 10 00 | |
| 4 to 5 ft. | 1 75 | 12 00 | |
| “ stolonifera lutea , Yellow-stemmed Dogwood | | | |
| 2 to 3 ft. | 1 25 | 10 00 | |
| Corylus avellana . European Hazel | | | |
| 3 to 4 ft. | 1 50 | | |
| 4 to 5 ft. | 2 50 | 20 00 | |
| 5 to 6 ft. | 3 00 | 25 00 | |
| 6 to 7 ft. | 3 50 | 30 00 | |
| Cotoneaster Simonsii | | | |
| 1½ to 2 ft. | 1 25 | 10 00 | |
| 2 to 3 ft. | 1 35 | 12 00 | |
| 3½ to 4 ft. | 1 75 | 15 00 | |
| Crataegus coccinea , Scarlet Thorn | | | |
| 1½ to 2 ft. | 1 25 | 10 00 | |
| 2 to 3 ft. | 2 25 | 20 00 | |
| 3 to 4 ft. | 2 75 | 25 00 | |
| 4 to 5 ft. | 3 50 | 30 00 | |

| | | Per 10 | Per 100 |
|--|-------|--------|---------|
| Crataegus, (Cont.) | | | |
| “ cordata , Washington Thorn | | | |
| 1½ to 2 ft. | 1 25 | 12 00 | |
| 2 to 3 ft. | 2 25 | 20 00 | |
| 3 to 4 ft. | 2 75 | 25 00 | |
| 4 to 5 ft. | 3 25 | 30 00 | |
| 5 to 6 ft. | 3 75 | 35 00 | |
| 6 to 8 ft. | 4 50 | 40 00 | |
| 8 to 10 ft. | 6 00 | 50 00 | |
| 10 to 12 ft. | 12 50 | 100 00 | |
| “ crus galli , Cockspur Thorn | | | |
| 1½ to 2 ft. | 1 75 | 15 00 | |
| 2 to 3 ft. | 2 25 | 20 00 | |
| 3 to 4 ft. | 2 75 | 25 00 | |
| “ Oxycantha , English Hawthorn | | | |
| 1½ to 2 ft. | 1 00 | 8 00 | |
| 2 to 3 ft. | 1 25 | 10 00 | |
| 3 to 4 ft. | 1 35 | 12 00 | |
| 4 to 5 ft. | 1 75 | 15 00 | |
| “ Oxycantha double pink Hawthorn | | | |
| 3 to 4 ft. | 3 00 | | |
| “ Oxycantha , double white Hawthorn | | | |
| 3 to 4 ft. | 3 00 | | |
| “ Oxycantha , Paul's double scarlet Hawthorn | | | |
| 3 to 4 ft. | 3 00 | | |
| “ Pyracantha Lalandi , Evergreen Thorn | | | |
| 1 to 1½ ft. | 2 00 | | |
| 1½ to 2 ft. | 2 50 | | |
| 2 to 2½ ft. | 3 00 | | |
| Cydonia Japonica (Pyrus Japonica) Japanese Quince | | | |
| 1½ to 2 ft. | 1 00 | 8 00 | |
| 2 to 3 ft. | 1 25 | 10 00 | |
| 3 to 4 ft. | 1 35 | 12 00 | |
| “ Japonica nivalis , pure white | | | |
| 1½ to 2 ft. | 1 25 | | |
| 2 to 3 ft. | 1 50 | | |
| “ Japonica umbellicata , pink | | | |
| 2 to 3 ft. | 1 35 | 12 00 | |
| 3 to 4 ft. | 1 75 | 15 00 | |
| Cytisssus , see Laburnum | | | |
| Desmodium penduliflorum (Lespedeza Sieboldii) Bush Clover | | | |
| 2 year | 1 50 | 15 00 | |
| Deutzia candidissima plena , double white | | | |
| 2 to 3 ft. | 1 00 | 8 00 | |
| 3 to 4 ft. | 1 25 | 10 00 | |
| 4 to 5 ft. | 1 35 | 12 00 | |
| “ crenata , single white | | | |
| 4 to 5 ft. | 1 75 | 15 00 | |
| “ crenata , double pink | | | |
| 2 to 3 ft. | 1 00 | 8 00 | |
| 3 to 4 ft. | 1 25 | 10 00 | |
| 4 to 5 ft. | 1 35 | 12 00 | |
| “ crenata , Pride of Rochester, double pink | | | |
| 2 to 3 ft. | 1 00 | 8 00 | |
| 3 to 4 ft. | 1 25 | 10 00 | |
| 4 to 5 ft. | 1 35 | 12 00 | |
| “ gracilis , dwarf, single white | | | |
| 1½ to 2 ft. | 1 25 | 10 00 | |

| | | Per 10 | Per 100 |
|--|-------|--------|---------|
| Deutzia (Cont.) | | | |
| " <i>gracilis rosea</i> , dwarf, single pink | | | |
| 1½ to 2 ft. | 1 25 | 10 00 | |
| 2 to 3 ft. | 1 35 | 12 00 | |
| " <i>Lemoinei</i> , dwarf, white | | | |
| 1½ to 2 ft. | 1 25 | 10 00 | |
| 2 to 3 ft. | 1 35 | 12 00 | |
| Diervilla sessilifolia , (lutea) | | | |
| 1½ to 2 ft. | 1 00 | | |
| 2 to 3 ft. | 1 25 | 10 00 | |
| 3 to 3½ ft. | 1 75 | 15 00 | |
| " <i>rosea</i> and varieties, see <i>Weigela</i> | | | |
| Eleagnus angustifolia , Russian Olive | | | |
| 2 to 3 ft. | 1 00 | 8 00 | |
| 3 to 4 ft. | 1 25 | 10 00 | |
| 4 to 5 ft. | 1 35 | 12 00 | |
| " <i>longipes</i> (<i>edulis</i>) | | | |
| 2 to 3 ft. | 1 35 | 12 00 | |
| 3 to 4 ft. | 1 75 | 15 00 | |
| Erica stricta , Heath | | | |
| 15 to 18 in., 5 inch pots | 2 50 | 25 00 | |
| Euonymus alatus , Japanese strawberry bush | | | |
| 2 to 3 ft. | 2 25 | 20 00 | |
| 3 to 4 ft. | 3 50 | 30 00 | |
| 4½ to 5 ft., heavy | 7 50 | | |
| 5 to 5½ ft., heavy | 10 00 | | |
| 5½ to 6 ft., heavy | 12 50 | | |
| " <i>Europeaus</i> , European burning-bush | | | |
| 3½ to 4 ft. | 1 35 | 12 00 | |
| " <i>Japonicus</i> , green-leaved | | | |
| 1½ to 2 ft., 5 inch pots | 3 00 | 25 00 | |
| " <i>Japonicus aureus</i> , golden-leaved | | | |
| 14 to 16 in., 5 inch pots | 3 00 | 25 00 | |
| " <i>nanus</i> , dwarf <i>Euonymus</i> | | | |
| 1½ to 2 ft. | 1 75 | 15 00 | |
| 2 to 2½ ft. | 2 25 | 20 00 | |
| " <i>Sieboldianus</i> | | | |
| 3½ to 4 ft. | 5 00 | | |
| Exochorda grandiflora , Pearl bush | | | |
| 2 to 3 ft. | 1 25 | 10 00 | |
| 3 to 4 ft. | 1 35 | 12 00 | |
| 4 to 5 ft. | 1 75 | 15 00 | |
| Forsythia Fortunei , Golden Bell | | | |
| 3 to 4 ft. | 1 25 | 10 00 | |
| 4 to 5 ft. | 1 75 | 15 00 | |
| " <i>intermedia</i> , Golden Bell | | | |
| 2 to 3 ft. | 1 00 | 8 00 | |
| 3 to 4 ft. | 1 25 | 10 00 | |
| " <i>suspensa</i> , Weeping Golden Bell | | | |
| 2 to 3 ft. | 1 25 | 10 00 | |
| 3 to 4 ft. | 1 35 | 12 00 | |
| " <i>viridissima</i> , Golden Bell | | | |
| 2 to 3 ft. | 1 00 | 8 00 | |
| 3 to 4 ft. | 1 25 | 10 00 | |
| 4 to 5 ft. | 1 35 | 12 00 | |
| Halesia tetrapetala (<i>Mohrodendron</i>) Silver Bell | | | |
| 2 to 3 ft. | 1 75 | 15 00 | |
| 3 to 4 ft. | 2 25 | 20 00 | |

| | | Per 10 | Per 100 |
|--|------|--------|---------|
| Hamamelis Virginiana, Wych-hazel | | | |
| 2 to 3 ft. | 1 75 | 15 00 | |
| 3 to 4 ft. | 2 25 | 20 00 | |
| Hibiscus Syriacus Ardens, double blue | | | |
| 1½ to 2 ft. | 75 | 6 00 | |
| “ Syriacus Boule de Feu, double red | | | |
| 3 to 4 ft. | 1 25 | 10 00 | |
| “ Syriacus carnes plena, double flesh pink | | | |
| 2 to 3 ft. | 1 00 | 8 00 | |
| 3 to 4 ft. | 1 25 | 10 00 | |
| “ Syriacus coelestis, single blue | | | |
| 2 to 3 ft. | 1 00 | 8 00 | |
| 3 to 4 ft. | 1 25 | 10 00 | |
| 4 to 5 ft. | 1 75 | 15 00 | |
| “ Syriacus Duc de Brabant, double red | | | |
| 2 to 3 ft. | 1 00 | 8 00 | |
| 3 to 4 ft. | 1 25 | 10 00 | |
| “ Syriacus Jean d'Arc, double white | | | |
| 3 to 4 ft. | 1 25 | 10 00 | |
| 4 to 5 ft. | 1 75 | 15 00 | |
| 6 to 6½ ft. | 2 50 | 20 00 | |
| “ Syriacus Lady Stanley, pink | | | |
| 2 to 3 ft. | 1 00 | 8 00 | |
| 4 to 5 ft. | 1 75 | 15 00 | |
| “ Syriacus Meehani variegata, variegated-leaved, single | | | |
| 2 to 2½ ft. | 1 75 | 20 00 | |
| “ Syriacus rubis, single red | | | |
| 2 to 3 ft. | 1 00 | 8 00 | |
| 3 to 4 ft. | 1 25 | 10 00 | |
| 4 to 5 ft. | 1 75 | 15 00 | |
| “ Syriacus rubra plena, double red | | | |
| 3 to 4 ft. | 1 25 | 10 00 | |
| “ Syriacus totus albus, single white | | | |
| 2 to 3 ft. | 1 25 | 10 00 | |
| 3½ to 4 ft. | 1 50 | 12 00 | |
| 4½ to 5 ft. | 1 75 | 15 00 | |
| “ Syriacus variegata fl. pl. variegated leaved | | | |
| 1½ to 2 ft. | 1 25 | 10 00 | |
| 2 to 3 ft. | 1 35 | 12 00 | |
| 3 to 4 ft. | 1 75 | 15 00 | |
| 5 to 6 ft. | 2 50 | 20 00 | |
| Hippophaea rhamnoides, Sea Buckthorn | | | |
| 1½ to 2 ft. | 1 25 | 10 00 | |
| 2 to 3 ft. | 1 35 | 12 00 | |
| Hydrangea arborescens grandiflora, American Ever-blooming | | | |
| 1½ to 2 ft. | 1 35 | 12 00 | |
| 2 'o 3 ft. | 1 75 | 15 00 | |
| 3 to 4 ft. | 2 25 | 20 00 | |
| “ paniculata (type) single | | | |
| 2 to 3 ft. | 1 35 | 12 00 | |
| 3 to 4 ft. | 1 75 | 15 00 | |
| “ paniculata grandiflora | | | |
| 1½ to 2 ft. | 85 | 7 00 | |
| 2 to 3 ft. | 1 25 | 9 00 | |
| “ paniculata grandiflora, Tree-form | | | |
| 3 to 4 ft. | 2 50 | | |
| “ quercifolia, Oak-leaved Hydrangea | | | |
| 2 to 3 ft. | 3 50 | 30 00 | |
| 3 to 4 ft. | 4 00 | 35 00 | |

| | | Per 10 | Per 100 |
|---|--|--------|---------|
| Hydrangea, (Cont.) | | | |
| " <i>radiata (nivea)</i> | | | |
| 2 to 3 ft. | | 1 35 | 12 00 |
| Hypericum aureum, St. John's Wort | | | |
| 1½ to 2 ft. | | 1 25 | 10 00 |
| 2 to 3 ft. | | 1 35 | 12 00 |
| " <i>densiflorum</i> | | | |
| 1½ to 2 ft., heavy | | 1 25 | 10 00 |
| " <i>Moserianum, Gold flower</i> | | | |
| 1 to 2 ft. | | 1 35 | 12 00 |
| Ilex crenata, Japanese Holly | | | |
| 15 to 18 in. | | 3 00 | |
| 2½ to 3 ft., bush form | | 17 50 | |
| 3 to 3½ ft., bush form | | 20 00 | |
| 6 to 7 ft., pyramids | | 50 00 | |
| " <i>verticillata (Prinos) Winter berry</i> | | | |
| 1½ to 2 ft. | | 1 75 | 15 00 |
| Itea Virginica, Virginian Willow | | | |
| 1½ to 2 ft. | | 1 25 | 10 00 |
| 2 to 3 ft. | | 1 75 | 15 00 |
| Kerria Japonica, single (Corchorus) | | | |
| 1½ to 2 ft. | | 1 35 | 12 00 |
| 3 to 4 ft. | | 1 75 | 15 00 |
| " <i>Japonica, double</i> | | | |
| 1½ to 2 ft. | | 1 25 | 10 00 |
| 2 to 3 ft. | | 1 35 | 12 00 |
| 3 to 4 ft. | | 1 75 | 15 00 |
| Laburnum vulgare (Cytisssus) Golden Chain | | | |
| 2 to 3 ft. | | 1 75 | 15 00 |
| 3 to 4 ft. | | 2 25 | 20 00 |
| Laurus Benzoin, see Lindera | | | |
| Lespedeza bicolor, Bush clover | | | |
| 2 to 3 ft. | | 1 35 | 12 00 |
| Leucothaea Catesbaei | | | |
| 15 to 18 in. clumps | | 4 00 | 35 00 |
| Ligustrum Amurense, Southern Amoor Privet | | | |
| 2 to 3 ft. \$50.00 per 1000 | | 75 | 6 00 |
| 3 to 4 ft. 60.00 per 1000 | | 1 00 | 8 00 |
| " <i>Ibota, as commonly sold, not upright</i> | | | |
| 1½ to 2 ft. \$50.00 per 1000 | | 75 | 6 00 |
| 2 to 3 ft. 70.00 per 1000 | | 1 00 | 8 00 |
| 3 to 3½ ft. 90.00 per 1000 | | 1 25 | 10 00 |
| " <i>ibota compacta</i> | | | |
| 3½ to 4 ft. | | 1 75 | 15 00 |
| 4½ to 5 ft. | | 2 25 | 20 00 |
| " <i>ibota Regelianum, Regel's Privet</i> | | | |
| 2 to 3 ft. | | 1 50 | 12 00 |
| 3 to 4 ft. | | 2 00 | 18 00 |
| 4 to 5 ft., heavy | | 2 75 | 25 00 |
| " <i>ovalifolium, California Privet</i> | | | |
| 1½ to 2 ft. \$15.00 per 1000 | | 25 | 2 00 |
| 2 to 3 ft. 25.00 per 1000 | | 35 | 3 00 |
| 3 to 4 ft. 30.00 per 1000 | | 50 | 3 50 |
| 2 to 3 ft., heavy trans. | | 75 | 6 00 |
| 3 to 4 ft., heavy trans. | | 1 00 | 8 00 |
| " <i>ovalifolium aureum, golden-leaved Privet</i> | | | |
| 1½ to 2 ft. | | 1 75 | 15 00 |
| " <i>vulgare, Common Privet</i> | | | |
| 2 to 3 ft. \$70.00 per 1000 | | 90 | 8 00 |

| | | Per 10 | Per 100 |
|--|------|--------|---------|
| Lindera Benzoin (Benzoin odoriferum) Spice bush | | | |
| 2 to 3 ft. | 1 75 | 17 00 | |
| 3 to 4 ft. | 2 25 | 20 00 | |
| Lonicera Alberti | | | |
| 1½ to 2 ft. | 1 35 | 12 00 | |
| “ bella albida , Bush Honeysuckle | | | |
| 3 to 4 ft. | 1 35 | 12 00 | |
| 4 to 5 ft. | 1 75 | 15 00 | |
| 5 to 6 ft. | 2 00 | | |
| “ bella candida , Bush Honeysuckle | | | |
| 3 to 3½ ft. | 1 35 | 12 00 | |
| 5 to 6 ft., heavy | 2 25 | 20 00 | |
| “ fragrantissima | | | |
| 2 to 3 ft. | 1 25 | 10 00 | |
| “ Ledebouri | | | |
| 2 to 3 ft. | 1 25 | 10 00 | |
| 3 to 4 ft. | 1 35 | 12 00 | |
| “ Morrowi , red-berried | | | |
| 2 to 3 ft. | 1 00 | 8 00 | |
| 3 to 4 ft. | 1 25 | 10 00 | |
| 4 to 5 ft. | 1 75 | 15 00 | |
| “ Morrowi , yellow-berried | | | |
| 2 to 2½ ft. | 1 00 | 8 00 | |
| 3 to 4 ft. | 1 25 | 10 00 | |
| 4 to 5 ft. | 1 50 | 12 00 | |
| “ Ruprechtiana | | | |
| 3 to 4 ft. | 1 35 | 12 00 | |
| 4 to 5 ft. | 1 75 | 15 00 | |
| “ Tatarica alba , white Bush Honeysuckle | | | |
| 1½ to 2 ft. | 1 00 | 8 00 | |
| 2 to 3 ft. | 1 25 | 10 00 | |
| “ Tatarica rubra , red Bush Honeysuckle | | | |
| 2 to 3 ft. | 1 00 | 8 00 | |
| 3 to 4 ft. | 1 25 | 10 00 | |
| 4 to 5 ft. | 1 35 | 12 00 | |
| 5 to 6 ft. | 1 75 | 15 00 | |
| “ Tatarica grandiflora rosea , pink | | | |
| 2 to 3 ft. | 1 00 | 8 00 | |
| 3 to 4 ft. | 1 25 | 10 00 | |
| “ Tatarica splendens | | | |
| 2 to 3 ft. | 1 25 | 10 00 | |
| 3 to 4 ft. | 1 35 | 12 00 | |
| “ Tatarica , yellow-berried | | | |
| 3 to 4 ft. | 1 35 | 12 00 | |
| “ Xylosteum , Fly Honeysuckle | | | |
| 2 to 2½ ft. | 1 35 | 10 00 | |
| Mahonia aquifolium | | | |
| 1 to 1½ ft. | 1 25 | 10 00 | |
| Mohrodendron , see <i>Halesia</i> | | | |
| Myrica cerifera , Wax Myrtle | | | |
| 1 to 1½ ft. | 1 75 | 15 00 | |
| 1½ to 2 ft. | 2 25 | 20 00 | |
| Opulaster , see <i>Spiraea opulifolia</i> | | | |
| Oxydendron arboreum (Andromeda) Sorrel-tree | | | |
| 2 to 3 ft. | 3 25 | 30 00 | |
| Persica , Double pink flowering Peach | | | |
| 4 to 6 ft. | 1 75 | | |

Per 10 Per 100

Persica, (Cont.)

| | | | |
|---|------|-------|--|
| “ Double red flowering Peach | | | |
| 4 to 6 ft. | 1 75 | | |
| “ Double white flowering Peach | | | |
| 4 to 6 ft. | 1 75 | | |
| Philadelphus coronarius, Sweet flowered Mock Orange | | | |
| 2 to 3 ft. | 1 25 | 10 00 | |
| 3 to 4 ft. | 1 35 | 12 00 | |
| “ coronarius aureus, Golden-leaved Mock Orange | | | |
| 12 to 15 in. | 1 25 | 10 00 | |
| 15 to 18 in. | 1 35 | 12 00 | |
| 1½ to 2 ft. | 1 75 | 15 00 | |
| 3½ to 4 ft. | 2 75 | 25 00 | |
| “ coronarius Avalanche | | | |
| 1½ to 2 ft. | 1 00 | 8 00 | |
| 2 to 3 ft. | 1 25 | 10 00 | |
| “ coronarius Gordonianus | | | |
| 2½ to 3 ft. | 1 00 | 8 00 | |
| 4 to 5 ft. | 1 35 | 12 00 | |
| “ coronarius grandiflorus, Large-flowered Mock Orange | | | |
| 2 to 3 ft. | 1 00 | 8 00 | |
| 3 to 4 ft. | 1 25 | 10 00 | |
| 4 to 5 ft. | 1 35 | 12 00 | |
| “ coronarius Mont Blanc | | | |
| 1½ to 2 ft. | 1 25 | 10 00 | |
| “ coronarius nanus, Dwarf Mock Orange | | | |
| 1½ to 2 ft. | 1 00 | 8 00 | |
| 2 to 3 ft. | 1 25 | 10 00 | |
| “ Lemoinei | | | |
| 1½ to 2 ft. | 1 00 | 8 00 | |
| 2 to 3 ft. | 1 25 | 10 00 | |
| “ Lemoinei erectus | | | |
| 1½ to 2 ft. | 1 00 | 8 00 | |
| 2 to 3 ft. | 1 25 | 10 00 | |
| 3 to 4 ft. | 1 35 | 12 00 | |
| “ Zeyheri | | | |
| 2½ to 3 ft. | 1 25 | 10 00 | |
| Physocarpus, see Spiraea opulifolia | | | |
| Potentilla fruticosa, Cinquefoil | | | |
| 1½ to 2 ft. | 1 25 | 10 00 | |
| 2 to 3 ft. | 1 35 | | |
| Prinos verticillata, see Ilex | | | |
| Prunus Japonica, see Amygdalus nana | | | |
| “ Persica, Flowering Peaches, see Persica | | | |
| “ Pissardi, Purple-leaved Plum | | | |
| 4 to 5 ft. | 1 75 | 16 00 | |
| “ triloba, double flowering Plum | | | |
| 2 to 3 ft. | 2 00 | 18 00 | |
| Ptelea trifoliata, Hop Tree | | | |
| 2 to 3 ft. | 75 | 6 00 | |
| 3 to 4 ft. | 1 00 | 8 00 | |
| 4 to 6 ft. | 1 25 | 10 00 | |
| Pterostyrax hispida | | | |
| 4 to 4½ ft. | 3 50 | | |
| 6½ to 7 ft. | 5 00 | | |
| Pyrus Japonica, see Cydonia | | | |
| Pyrus arbutifolia and melanocarpa, see Aronia | | | |
| Pyrus Bechtel's and other varieties, see Malus, tree section | | | |

City of Springfield, Mass.
Department of Public Parks
Charles E. Ladd, Supt.

Springfield, Mass., April 23, 1915.
Thomas Meehan & Sons,
Dresher, Pa.

Dear Sirs:—

Replying to your letter of the 21st inst., would say that you may ship the 200 *Myrica cerifera* as described in your letter.

Permit me to compliment you on the order for trees and shrubs which you sent us. In all my experience, covering many years, we have never received such a satisfactory lot of nursery stock, and I shall take pleasure in recommending you to any who may wish to purchase.

Very truly yours,
CHARLES E. LADD,
Supt. Public Parks.

| | | Per 10 | Per 100 |
|---|------|--------|---------|
| Rhamnus catharticus , Buckthorn | | | |
| 1½ to 2 ft. | 65 | 5 00 | |
| 2 to 3 ft. | 85 | 7 00 | |
| " frangula | | | |
| 3 to 4 ft. | 1 35 | 12 00 | |
| 4 to 5 ft. | 1 75 | 15 00 | |
| Rhodotypos kerroides , White Kerria | | | |
| 1½ to 2 ft. | 1 00 | 8 00 | |
| 2 to 3 ft. | 1 25 | 10 00 | |
| 3 to 4 ft. | 1 35 | 12 00 | |
| Rhus aromatica (<i>canadensis</i>) | | | |
| 2 to 3 ft. | 2 75 | 27 00 | |
| " copallina , Shining Sumach | | | |
| 1½ to 2 ft. | 1 35 | 12 00 | |
| " Cotinus , Smoke bush, Purple Fringe | | | |
| 1½ to 2 ft. | 1 25 | 10 00 | |
| 2 to 3 ft. | 1 35 | 12 00 | |
| 3 to 4 ft. | 1 75 | 15 00 | |
| 4 to 5 ft. | 2 00 | 18 00 | |
| " glabra , Smooth Sumach | | | |
| 2 to 3 ft. | 1 00 | 8 00 | |
| 3 to 4 ft. | 1 25 | 10 00 | |
| " glabra laciniata , Cut-leaved Sumach | | | |
| 1½ to 2 ft. | 1 75 | 15 00 | |
| 2 to 2½ ft. | 2 00 | 18 00 | |
| " typhina , Staghorn Sumach | | | |
| 2 to 3 ft. | 1 00 | 8 00 | |
| 3 to 4 ft. | 1 25 | 10 00 | |
| 4 to 6 ft. | 1 35 | 12 00 | |
| 6 to 8 ft. | 1 75 | 15 00 | |
| " typhina laciniata , Cut-leaved | | | |
| 2 to 3 ft. | 1 35 | 12 00 | |
| 3 to 4 ft. | 1 75 | 15 00 | |
| Ribes alpinum | | | |
| 1 to 1½ ft. | 1 25 | 10 00 | |
| 1½ to 2 ft. | 1 35 | | |
| " aureum , Yellow Missouri Currant | | | |
| 2 to 3 ft. | 1 25 | 10 00 | |
| 3 to 4 ft. | 1 35 | 12 00 | |
| 4 to 5 ft. | 1 75 | 15 00 | |
| " sanguineum , pink flowering Currant | | | |
| 1½ to 2 ft. | 1 50 | | |
| 2 to 3 ft. | 2 00 | | |
| Robinia hispida rosea , Rose acacia | | | |
| 2 to 2½ ft. | 1 75 | 15 00 | |
| 3 to 4 ft. | 2 25 | 20 00 | |
| Rosa blanda (<i>Virginiana</i>) | | | |
| 1½ to 2 ft. | 1 25 | 10 00 | |
| 2 to 3 ft. | 1 35 | 12 00 | |
| 3 to 4 ft. | 1 75 | 15 00 | |
| " Carolina | | | |
| 2 to 3 ft. | 1 35 | 12 00 | |
| 3 to 4 ft. | 1 75 | 15 00 | |
| 4 to 5 ft. | 2 00 | 18 00 | |
| " humilis | | | |
| 1 to 1½ ft. | 1 25 | 10 00 | |
| 1½ to 2 ft. | 1 35 | 12 00 | |
| 2 to 3 ft. | 1 75 | 15 00 | |

| <i>Rosa</i> (Cont.) | | Per 10 | Per 100 |
|---|------|--------|---------|
| “ <i>lucida</i> | | | |
| 1 to 1½ ft. | 1 00 | 8 00 | |
| 1½ to 2 ft. | 1 25 | 10 00 | |
| “ <i>multiflora Japonica</i> | | | |
| 1½ to 2 ft. | 1 00 | 8 00 | |
| “ <i>nitida</i> | | | |
| 1 to 1½ ft. | 1 00 | 8 00 | |
| 1½ to 2 ft. | 1 25 | 10 00 | |
| “ <i>ruginosa</i> , Sweet Brier, Eglantine | | | |
| 2 to 3 ft. | 75 | 6 00 | |
| 3 to 4 ft. | 1 00 | 8 00 | |
| 4 to 5 ft. | 1 25 | 10 00 | |
| “ <i>rufifolia (ferruginea)</i> | | | |
| 3 to 4 ft. | 1 75 | 15 00 | |
| “ <i>rugosa rubra</i> , Japanese rose, red | | | |
| 1½ to 2 ft. | 1 00 | 9 00 | |
| “ <i>rugosa alba</i> , Japanese rose, white | | | |
| 15 to 18 in. bushy | 1 00 | 8 00 | |
| 1½ to 2 ft. | 1 25 | 10 00 | |
| 2 to 2½ ft. | 1 35 | 12 00 | |
| “ <i>setigera</i> , Prairie Rose | | | |
| 2 to 3 ft. | 1 25 | 10 00 | |
| 4 to 5 ft. | 1 75 | 15 00 | |
| “ <i>Wichuraiana</i> , Memorial Rose | | | |
| 2 to 3 ft. | 1 25 | 9 00 | |

Roses, Hybrid Wichuraiana, Ramblers, Etc.

| | | | |
|---|------|-------|--|
| Alberic Barbier , semi-double, white and buff center | | | |
| 6 inch pots | 2 00 | 20 00 | |
| American Pillar , single, rosy pink | | | |
| 5 inch pots | 2 00 | 20 00 | |
| 6 inch pots | 2 50 | 25 00 | |
| Baltimore Belle , double white | | | |
| 5 inch pots | 2 00 | 20 00 | |
| Dawson , double pink | | | |
| 5 inch pots | 2 00 | 20 00 | |
| 6 inch pots | 2 50 | 25 00 | |
| Dr. W. Van Fleet , double flesh-pink | | | |
| 6 inch pots | 2 00 | 20 00 | |
| Dorothy Perkins , double pink | | | |
| 5 inch pots | 2 00 | 20 00 | |
| Edgar Andreu , New, double blood-red | | | |
| 5 inch pots | 2 00 | 20 00 | |
| 6 inch pots | 2 50 | 25 00 | |
| Evergreen Gem , double white, buff in bud | | | |
| 5 inch pots | 2 00 | 20 00 | |
| 6 inch pots | 2 50 | 25 00 | |
| Excelsa , double crimson-maroon | | | |
| 5 inch pots | 2 00 | 20 00 | |
| Flower of Fairfield , Everblooming Crimson Rambler | | | |
| 5 inch pots | 2 00 | 20 00 | |
| Jersey Beauty , single buff, yellow stamens | | | |
| 5 inch pots | 2 00 | 20 00 | |

| Rosa (Cont.) | | Per 10 | Per 100 |
|--|------|--------|---------|
| Lady Gay , double, clear pink | | | |
| 5 inch pots | 2 00 | 20 00 | |
| 6 inch pots | 2 50 | 25 00 | |
| Paul's Carmine Pillar , single, carmine | | | |
| 5 inch pots | 2 50 | 25 00 | |
| Pink Roamer , single pink | | | |
| 5 inch pots | 2 00 | 20 00 | |
| Prairie Queen , double, pink | | | |
| 5 inch pots | 2 00 | 20 00 | |
| 6 inch pots | 2 50 | 25 00 | |
| Rene Andre , semi-double, carmine | | | |
| 6 inch pots | 2 50 | 25 00 | |
| Silver Moon , New, single, extra large, white | | | |
| 5 inch pots | 3 50 | 35 00 | |
| Universal Favorite , double, rose | | | |
| 5 inch pots | 2 00 | 20 00 | |
| 6 inch pots | 2 50 | 25 00 | |
| White Dorothy Perkins , double white | | | |
| 5 inch pots | 2 00 | 20 00 | |
| 6 inch pots | 2 50 | 25 00 | |
| White Rambler , double, white | | | |
| 5 inch pots | 2 00 | 20 00 | |
| 6 inch pots | 2 50 | 25 00 | |
| Rubus odoratus | | | |
| 2 to 3 ft. | 1 25 | 10 00 | |
| Sambucus canadensis , American Elderberry | | | |
| 2 to 3 ft. | 1 00 | 8 00 | |
| " nigra aurea , golden Elderberry | | | |
| 2 to 3 ft. | 1 25 | 10 00 | |
| 3 to 4 ft. | 1 35 | 12 00 | |
| 4 to 5 ft. | 1 75 | 15 00 | |
| " nigra laciniata , cut-leaved Elderberry | | | |
| 2 to 3 ft. | 1 25 | 10 00 | |
| 3 to 4 ft. | 1 35 | 12 00 | |
| 4 to 5 ft. | 1 75 | 15 00 | |
| " racemosa , red-berried Elderberry | | | |
| 2 to 3 ft. | 1 35 | 12 00 | |
| Sorbaria sorbifolia , see <i>Spiraea sorbifolia</i> | | | |
| Spiraea Anthony Waterer , pink, dwarf | | | |
| 15 to 18 in. bushy | 1 25 | 10 00 | |
| 1½ to 2 ft. | 1 35 | 12 00 | |
| 2 to 2½ ft. | 1 75 | 15 00 | |
| 2½ to 3 ft. | 2 00 | 18 00 | |
| " arguta , white | | | |
| 2 to 2½ ft. | 1 35 | 12 00 | |
| 2½ to 3 ft. | 1 75 | 15 00 | |
| " Billardi , pink | | | |
| 3 to 4 ft. | 1 25 | 10 00 | |
| 4 to 5 ft. | 1 35 | 12 00 | |
| 5 to 6 ft. | 1 75 | 15 00 | |
| " callosa alba , dwarf white | | | |
| 10 to 12 in. bushy | 1 25 | 10 00 | |
| " callosa rosea (Japonica) pink | | | |
| 3 to 4 ft. | 1 25 | 10 00 | |
| " callosa rubra , dwarf pink | | | |
| 1½ to 2 ft. | 1 35 | 12 00 | |

| | | Per 10 | Per 100 |
|--|------|--------|---------|
| Spiraea (Cont.) | | | |
| " Douglasii rosea , pink | | | |
| 2 to 3 ft. | 1 00 | 8 60 | |
| 3 to 4 ft. | 1 25 | 10 00 | |
| 4 to 5 ft. | 1 35 | 12 00 | |
| " opulifolia (Physocarpus opulaster) Ninebark | | | |
| 2 to 3 ft. | 1 00 | 8 00 | |
| 3 to 4 ft. | 1 25 | 10 00 | |
| 4 to 5 ft. | 1 35 | 12 00 | |
| 5 to 6 ft. | 1 75 | 15 00 | |
| " opulifolia aurea , golden-leaved | | | |
| 2 to 3 ft. | 1 00 | 8 00 | |
| 3 to 4 ft. | 1 25 | 10 00 | |
| 4 to 5 ft. | 1 35 | 12 00 | |
| " prunifolia fl. pl. Bridal Wreath | | | |
| 2 to 3 ft. | 1 25 | 10 00 | |
| 3 to 4 ft. | 1 75 | 15 00 | |
| " Reevesiana , single (Cantoniensis) white | | | |
| 3 to 4 ft. | 1 35 | | |
| " Reevesiana fl. pl. (Cantoniensis) double white | | | |
| 2 to 3 ft. | 1 25 | 10 00 | |
| 3 to 4 ft. | 1 35 | 12 00 | |
| 4 to 5 ft. | 1 75 | 15 00 | |
| " sorbifolia (Sorbaria) | | | |
| 1½ to 2 ft. | 1 00 | 8 00 | |
| " Thunbergii , white | | | |
| 1 to 1½ ft. bushy | 1 00 | 8 00 | |
| 1½ to 2 ft. | 1 25 | 10 00 | |
| 2 to 2½ ft. | 1 35 | 12 00 | |
| " Van Houttei , single white | | | |
| 2 to 3 ft. | 1 00 | 8 00 | |
| 3 to 4 ft. | 1 25 | 10 00 | |
| 4 to 5 ft. | 1 35 | 12 00 | |
| Staphyllea trifoliata , Bladder nut | | | |
| 2 to 3 ft. | 1 35 | 12 00 | |
| 3 to 4 ft. | 1 75 | 15 00 | |
| Stephanandra flexuosa , white | | | |
| 1½ to 2 ft. | 1 00 | 8 00 | |
| 2 to 3 ft. | 1 25 | 10 00 | |
| 3 to 4 ft. | 1 35 | 12 00 | |
| Styrax Japonica | | | |
| 4 to 5 ft. | 4 00 | 30 00 | |
| 5 to 6 ft. | 5 00 | 40 00 | |
| 6 to 7 ft. | 6 50 | 60 00 | |
| 7 to 8 ft. | 8 50 | 75 00 | |
| Symporicarpos racemosus , white Snowberry, Waxberry | | | |
| 1½ to 2 ft. | 1 00 | 8 00 | |
| 2 to 3 ft. | 1 25 | 10 00 | |
| 3 to 4 ft. | 1 35 | 12 00 | |
| 4 to 5 ft. | 1 75 | 15 00 | |
| " vulgaris , Indian Currant, Coral Berry | | | |
| 2 to 3 ft. | 1 00 | 8 00 | |
| 3 to 4 ft. | 1 25 | 10 00 | |
| Syringa Japonica , Japanese Tree Lilac | | | |
| 2 to 3 ft. | 1 75 | 15 00 | |
| 3 to 4 ft. | 2 50 | 20 00 | |
| 4 to 5 ft. | 3 00 | | |

| Syringa, (Cont.) | | Per 10 | Per 100 |
|--|------|--------|---------|
| " <i>Josikaea</i> , purple, late | | | |
| 3 to 4 ft. | 3 00 | | |
| " <i>Persica alba</i> , white Persian Lilac | | 1 75 | |
| 2 to 3 ft. | | | |
| " <i>Rothomagensis (chinensis)</i> Red Persian | | | |
| 2 to 3 ft. | 1 35 | 12 00 | |
| 3 to 4 ft. | 1 75 | 15 00 | |
| " <i>vulgaris</i> , common purple | | | |
| 1½ to 2 ft. | 85 | 7 00 | |
| 2 to 3 ft. | 1 00 | 8 00 | |
| 3 to 4 ft. | 1 35 | 12 00 | |
| " <i>vulgaris alba</i> , common white lilac | | | |
| 1½ to 2 ft. | 1 00 | 8 00 | |
| 2 to 3 ft. | 1 25 | 10 00 | |
| 3 to 4 ft. | 1 35 | 12 00 | |

Choice Named Lilacs—Single and Double

| | | | |
|---|------|-------|--|
| Alphonse Lavalle, blue, double, large panicles | | | |
| 2 to 3 ft. | 3 00 | | |
| Belle de Nancy, satiny rose, double, very large | | | |
| 3 to 4 ft. | 3 50 | | |
| Charles X. reddish purple, single, large | | | |
| 3 to 4 ft. | 3 50 | | |
| Congo, red, single, very large | | | |
| 2 to 3 ft. | 3 00 | | |
| Dr. Masters, clear lilac, double, superb | | | |
| 2 to 3 ft. | 3 00 | | |
| Frau Dammann, white, single, very large | | | |
| 2 to 3 ft. | 3 00 | | |
| Ludwig Spaeth, purplish red, single, large | | | |
| 2 to 3 ft. | 3 00 | | |
| Mme. Abel Chatney, white, double, very fine | | | |
| 2 to 3 ft. | 3 00 | | |
| Mme. Casimir Perier, creamy white, double, superb | | | |
| 3 to 4 ft. | 3 50 | | |
| Marie Le Gray, white, single, large panicles | | | |
| 2 to 3 ft. | 3 00 | | |
| President Viger, bluish lilac, double, extra fine | | | |
| 2 to 3 ft. | 3 00 | | |
| Princess Alexandra, white, single, large | | | |
| 2 to 3 ft. | 3 00 | | |
| Senator Volland, bright rosy red, double | | | |
| 3 to 4 ft. | 3 50 | | |
| Tamarix Africana, (parviflora) light pink, ear'y | | | |
| 2 to 3 ft. | 1 00 | 8 00 | |
| 3 to 4 ft. | 1 25 | 10 00 | |
| 4 to 5 ft. | 1 35 | 12 00 | |
| " Gallica, light pink, early | | | |
| 2 to 3 ft. | 1 00 | 8 00 | |
| 3 to 4 ft. | 1 25 | 10 00 | |
| 4 to 5 ft. | 1 35 | 12 00 | |
| " Gallica indica, pink, late | | | |
| 2 to 3 ft. | 1 00 | 8 00 | |
| 4 to 5 ft. | 1 35 | 12 00 | |
| 5 to 6 ft. | 1 75 | 15 00 | |
| 6 to 8 ft. | 2 00 | 18 00 | |

| Tamarix (Cont.) | | Per 10 | Per 100 |
|--|------|--------|---------|
| “ <i>hispida aestivalis</i> , pink, late | | | |
| 2 to 3 ft. | 1 25 | 10 00 | |
| “ <i>Japonica plumosa</i> , pink, late | | | |
| 2 to 3 ft. | 1 00 | 8 00 | |
| 3 to 4 ft. | 1 25 | 10 00 | |
| “ <i>Odessana</i> , pink, early | | | |
| 2 to 3 ft. | 1 25 | 10 00 | |
| Viburnum acerifolium, Maple-leaved Viburnum | | | |
| 1½ to 2 ft. | 1 75 | 15 00 | |
| 2 to 2½ ft. | 2 25 | 20 00 | |
| “ <i>dentatum</i> , Arrow-wood | | | |
| 1½ to 2 ft. | 1 00 | 8 00 | |
| 2 to 3 ft. | 1 35 | 12 00 | |
| “ <i>dentatum</i> <i>Molle</i> | | | |
| 2 to 3 ft. | 1 35 | 12 00 | |
| “ <i>Lantana</i> , Hobble-bush, Wayfaring tree | | | |
| 2 to 3 ft. | 1 00 | 8 00 | |
| 3 to 4 ft. | 1 25 | 10 00 | |
| “ <i>lentago</i> | | | |
| 1½ to 2 ft. | 1 35 | 12 00 | |
| 2 to 3 ft. | 2 00 | 18 00 | |
| 3 to 4 ft. | 2 75 | 25 00 | |
| “ <i>nudum cassinoides</i> | | | |
| 2 to 3 ft. | 2 25 | 20 00 | |
| “ <i>Opulus</i> , see <i>oxycoccus</i> | | | |
| “ <i>opus sterile</i> , Common Snowball | | | |
| 1½ to 2 ft. | 1 00 | 8 00 | |
| 2 to 3 ft. | 1 25 | 10 00 | |
| 3 to 4 ft. | 1 35 | 12 00 | |
| 4 to 5 ft. | 1 75 | 15 00 | |
| “ <i>Opulus nana</i> , dwarf | | | |
| 9 to 12 in. | 1 25 | 10 00 | |
| 12 to 15 in. | 1 75 | 15 00 | |
| 15 to 18 in. | 2 00 | 18 00 | |
| 1½ to 2 ft. | 2 50 | | |
| “ <i>oxycoccus</i> (<i>Opulus</i>) High-bush Cranberry | | | |
| 1½ to 2 ft. | 1 00 | 8 00 | |
| 2 to 3 ft. | 1 25 | 10 00 | |
| 3 to 4 ft. | 1 35 | 12 00 | |
| 4 to 5 ft. | 1 75 | 15 00 | |

| | | Per 10 | Per 100 |
|--|------|--------|---------|
| Viburnum (Cont.) | | | |
| " plicatum , Japanese Snowball | | | |
| 1½ to 2 ft. | 1 35 | 12 00 | |
| 2 to 3 ft. | 1 75 | 15 00 | |
| 3 to 4 ft. | 2 25 | 20 00 | |
| " tomentosum | | | |
| 2 to 2½ ft. | 1 75 | 15 00 | |
| 3½ to 4 ft. | 2 00 | 18 00 | |
| Vitex Agnus Castus , blue, Chaste shrub | | | |
| 2 to 3 ft. | 1 25 | 10 00 | |
| 3 to 4 ft. | 1 35 | 12 00 | |
| " Agnus Castus alba , white | | | |
| 2 to 3 ft. | 1 25 | | |
| Weigela amabilis , pink | | | |
| 3 to 4 ft. | 1 75 | 15 00 | |
| " arborea , light pink | | | |
| 2 to 3 ft. | 1 50 | 12 00 | |
| 3 to 4 ft. | 1 75 | 15 00 | |
| 4 to 4½ ft. | 2 25 | 20 00 | |
| " candida , white | | | |
| 2 to 3 ft. | 1 25 | 12 00 | |
| 3 to 4 ft. | 1 75 | 15 00 | |
| " Eva Rathke , crimson | | | |
| 2 to 3 ft. | 1 75 | 15 00 | |
| 3 to 4 ft. | 2 25 | 20 00 | |
| " nana variegata , Variegated-leaved | | | |
| 1½ to 2 ft. | 1 25 | 10 00 | |
| 2 to 3 ft. | 1 35 | 12 00 | |
| " rosea , pink | | | |
| 2 to 3 ft. | 1 35 | 12 00 | |
| 3 to 4 ft. | 1 75 | 15 00 | |
| " Stelznerii , pink | | | |
| 3 to 4 ft. | 1 35 | 12 00 | |
| 4 to 5 ft. | 1 75 | 15 00 | |
| " Van Houttei , light pink | | | |
| 2 to 3 ft. | 1 35 | 12 00 | |
| 3 to 4 ft. | 1 75 | 15 00 | |
| Yucca filamentosa , Adam's Needle | | | |
| 3 year | 1 25 | 10 00 | |
| 4 year | 1 35 | | |

Vines and Climbers

Note Our Vines Grown in Pots. They are the best for Fall Planting.

| | | Per 10 | Per 100 |
|---|------|--------|---------|
| Akebia quinata | | | |
| 2 year | 1 25 | 10 00 | |
| 3 year | 1 35 | 12 00 | |
| Ampelopsis quinquefolia (Virginica) Virginia Creeper | | | |
| 2 year | 85 | 7 00 | |
| 4 year | 1 25 | 10 00 | |
| 5 inch pots | 2 00 | 20 00 | |
| " quinquefolia Englemanni | | | |
| 2 year | 1 00 | 8 00 | |
| " Veitchii (tricuspidata) Japanese or Boston Ivy | | | |
| 2 year | 1 00 | 9 00 | |
| 5 inch pots | 2 00 | 20 00 | |
| Aristolochia Sipho, Dutchman's Pipe | | | |
| 2 year | 2 50 | | |
| Bignonia radicans, (Tecoma) Trumpet Vine, Orange | | | |
| 2 year | 1 00 | 8 00 | |
| 3 year | 1 25 | 10 00 | |
| 5 inch pots | 2 00 | 20 00 | |
| " radicans grandiflora | | | |
| 2 year | 1 35 | 12 00 | |
| 3 year | 1 75 | 15 00 | |
| Celastrus orbiculatus, Japanese Bittersweet | | | |
| 2 to 3 ft. | 1 25 | 10 00 | |
| " scandens, Bittersweet | | | |
| 3 to 4 ft. | 1 00 | 8 00 | |
| 4 to 5 ft. | 1 25 | 10 00 | |
| 5 inch pots. | 2 00 | | |
| Clematis Montana alba | | | |
| 6 inch pots | 2 00 | | |
| " paniculata, white | | | |
| 2 year | 1 00 | 9 00 | |
| 5 inch pots | 2 00 | 20 00 | |
| " Virginiana, Virgin's Bower | | | |
| 3 year | 1 00 | 8 00 | |
| Dolichos Japonica, (Pueraria) Kudzu Vine | | | |
| 3 inch pots | 1 50 | 12 00 | |
| Euonymus radicans | | | |
| 8 to 10 inch | 1 00 | 8 00 | |
| 12 to 15 inch | 1 25 | 10 00 | |

| | | Per 10 | Per 100 |
|--|------|--------|---------|
| <i>Hedera Helix</i>, English Ivy | | | |
| 5 inch pots | 2 00 | 20 00 | |
| <i>Jasminum officinale</i>, White Jasmine | | | |
| 5 inch pots | 2 00 | 20 00 | |
| 6 inch pots | 2 50 | 25 00 | |
| <i>Lonicera brachypoda</i>, Evergreen Honeysuckle | | | |
| 2 year | 1 00 | 8 00 | |
| 5 inch pots | 2 00 | 20 00 | |
| " <i>brachypoda aurea</i> , golden-leaved Honeysuckle | | | |
| 5 inch pots | 2 00 | 20 00 | |
| " <i>Halleana</i> , Hall's Honeysuckle | | | |
| 2 year | 85 | 7 00 | |
| 5 inch pots | 2 00 | 20 00 | |
| " <i>Heckrottii</i> | | | |
| 6 inch pots | 2 00 | 20 00 | |
| " <i>punicea</i> , Red Coral | | | |
| 2 year | 1 25 | 10 00 | |
| " <i>sempervirens</i> , Red Coral | | | |
| 5 inch pots | 2 00 | 20 00 | |
| " <i>sinensis</i> , Chinese Honeysuckle | | | |
| 5 inch pots | 2 00 | 20 00 | |
| <i>Lycium chinensis</i> , Matrimony Vine | | | |
| 2 year, strong | 75 | 6 00 | |
| <i>Menispermum canadense</i> , Moon-seed | | | |
| 4 to 4½ ft | 1 75 | 15 00 | |
| Periwinkle , see <i>Vinca Minor</i> | | | |
| <i>Pueraria Thunbergianna</i> , See <i>Dolichos</i> | | | |
| Roses , Climbing, Creeping and Pillar, see shrubs | | | |
| <i>Tecoma</i> , see <i>Bignonia</i> | | | |
| <i>Vinca minor</i> , Periwinkle, Myrtle | | | |
| 2 year | 75 | 5 00 | |
| <i>Vitis heterophylla variegata</i> | | | |
| 3 to 4 ft. | 1 00 | 8 00 | |
| 5 inch pots | 2 00 | 20 00 | |
| <i>Wistaria chinensis</i> , Chinese blue Wistaria | | | |
| 1½ to 2 ft. | 1 75 | 15 00 | |
| 2 to 3 ft. | 2 25 | 20 00 | |
| " <i>chinensis alba</i> , Chinese white Wistaria | | | |
| 1½ to 2 ft. | 2 25 | 20 00 | |
| 5 inch pots | 3 00 | 30 00 | |
| " <i>chinensis flore plena</i> , double, purple | | | |
| 5 inch pots | 3 50 | 35 00 | |
| " <i>frutescens</i> , American, blue | | | |
| 5 inch pots | 2 50 | | |
| 6 inch pots | 3 00 | | |
| " <i>multijuga</i> , Japanese blue Wistaria | | | |
| 1½ to 2 ft. | 2 50 | | |
| 2 to 2½ ft. | 3 50 | | |

Board of
Park and Cemetery Commissioners
Grand Rapids, Mich.

December 14, 1914.

Thomas Meehan & Sons,
Dresher, Pa.

Gentlemen:—

The Sweet Gums, purchased of you last Spring balled and burlapped, arrived in the very best possible condition, every tree having made a very substantial growth during the Summer. Every tree is alive.

Very truly yours,
EUGENE V. GOEBEL,
Superintendent of Parks.

West Pittston Cemetery

Pittston, Pa., April 28th, 1915.

Messrs. Thomas Meehan & Sons,
Wholesale Nurserymen,
Dresher, Pa.

Dear Sirs:—

Just a line to let you know that the car of deciduous trees and evergreens which you shipped to the West Pittston Cemetery, West Pittston, Penna., arrived O. K., and I must say that I never saw a finer lot of evergreens, and several of the Board of Managers, who have seen the stock, say so too.

You have my sincere thanks, as I was particularly anxious to make a good showing with this planting.

Thanking you for the personal attention given to this order, I remain,

Yours truly,
JOHN STRUTHERS, Sect.

Evergreens

See also Evergreen Shrubs


In no other class of nursery stock are prices usually so deceptive as they are in evergreens, because the height shown in the list gives no idea of the quality. Quality is represented by the bushiness of the plant and the number of times it has been transplanted, because transplanting is what produces the fibrous root system, so all important to an evergreen. Good feeding is also necessary to impart health, vigor and the rich color to the foliage.

Our aim is to produce the best. Health, vigor, good color and an abundant root system, and to accomplish this, we transplant our evergreens every two years into new, heavily manured ground.

All evergreens are dug with ball of earth and the ball sewed in burlap. The cost of this is included in the price quoted in the catalogue.

| | | Per 10 | Per 100 |
|--|----|--------|--------------|
| Abies , see also <i>Picea</i> | | | |
| " <i>brachyphylla</i> | | | |
| 3½ to 4 ft. | 22 | 50 | |
| 4 to 5 ft. | 25 | 00 | |
| " <i>Canadensis</i> , see <i>Tsuga canadensis</i> | | | |
| " <i>concolor</i> , see <i>Picea concolor</i> | | | |
| " <i>Douglasii</i> , see <i>Pseudotsuga Douglastri</i> | | | |
| " <i>Nordmanniana</i> , Nordman's Silver Fir | | | |
| 1½ to 2 ft. | 10 | 00 | |
| 2 to 2½ ft. | 12 | 50 | |
| 2½ to 3 ft. | 15 | 00 | |
| 3 to 3½ ft. | 17 | 50 | |
| " <i>Veitchii</i> , Japanese Fir | | | |
| 3½ to 4 ft. | 25 | 00 | |
| 4 to 5 ft. | 30 | 00 | |
| 5 to 6 ft. | 35 | 00 | |
| 6 to 7 ft. | 37 | 50 | |
| Cryptomeria Lobbi compacta | | | |
| 2 to 2½ ft. | 10 | 00 | |
| Juniperus Canadensis , Canadian Juniper | | | |
| 1½ ft. broad | 5 | 00 | 45 00 |
| " <i>Chinensis</i> , Chinese Juniper | | | |
| 2 to 2½ ft. | 12 | 50 | |
| 2½ to 3 ft. | 13 | 50 | |
| 3 to 3½ ft. | 15 | 00 | |
| 3½ to 4 ft. | 17 | 50 | |

All evergreens balled and burlapped at the prices listed.



Juniperus Chinensis

This is one of the finest and most hardy of all the Junipers. It is of upright habit and dense in its growth. It possesses a dark green color, which does not change during the winter, but keeps just as green as it is in summer. This is a distinct advantage. It is useful for filling in evergreen beds.

Junipers for Ornamental Planting

Throughout the entire list of Evergreens there are none so useful as the Junipers. First they have the advantages of hardiness, and adaptability to almost all soils and situations. Then they have a character all their own, and the great diversity of color of foliage makes it possible to plant an entire bed or group of them without the use of other species which may not be as hardy or satisfactory. We have gradually been extending our plantings of these Junipers until now we believe we have one of the largest and finest collections in any nursery in this country.

All evergreens balled and burlapped at the prices listed.



Juniperus Chinensis Pfitzeriana

This is without a doubt the most beautiful and graceful of all evergreens. It seems almost impossible to describe its beauty, and we must let the illustration speak for itself. The color of the foliage is dark green without shade or variegation of any sort. It is perfectly hardy anywhere in this country. We have unquestionably the largest stock of this wonderful evergreen in the United States.

***Juniperus* (Cont.)**

Per 10 Per 100

" *Chinensis argentea variegata*, Variegated Chinese Juniper

| | |
|------------------|-------|
| 1 to 1½ ft. | 5 00 |
| 1½ to 2 ft. | 7 50 |
| 2 to 2½ ft. | 10 00 |
| 2½ to 3 ft. | 12 50 |
| 4 to 5 ft. | 20 00 |
| 5 to 6 ft. | 25 00 |

" *Chinensis Pfitzeriana*

| | |
|-----------------------------------|-------|
| 1½ to 2 ft. | 7 50 |
| 2 to 2½ ft. | 13 50 |
| 2½ to 3 ft. | 20 00 |
| 3 to 3½ ft. heavy | 25 00 |
| 3½ to 4 ft., heavy specimens | 30 00 |
| 4 to 4½ ft., heavy specimens | 35 00 |
| 4½ to 5 ft., heavy specimens | 40 00 |
| 5 to 5½ ft., heavy specimens | 45 00 |
| 5½ to 6 ft., heavy specimens | 50 00 |
| 6 to 7 ft., heavy specimens | 75 00 |

" *Chinensis Reevesiana*

| | |
|------------------|-------|
| 1½ to 2 ft. | 8 50 |
| 2 to 2½ ft. | 10 00 |
| 2½ to 3 ft. | 12 50 |

All evergreens balled and burlapped at the prices listed.

Juniperus (Cont.)

Per 10 Per 100

| | | |
|--|-------|--------|
| “ <i>Communis aurea</i> , Golden spreading Juniper | | |
| 1 to 1½ ft., broad | 5 00 | |
| 1½ to 2 ft., broad | 10 00 | |
| 2 to 2½ ft., broad | 15 00 | |
| 2½ to 3 ft., broad | 20 00 | |
| “ <i>Communis cracovica</i> | | |
| 1½ ft. | 5 00 | |
| “ <i>Japonica argentea variegata</i> , Silver-tipped Juniper | | |
| 2 to 2½ ft. | 12 50 | |
| “ <i>Japonica aurea</i> , Golden Japanese Juniper | | |
| 2 to 3 ft. | 12 50 | |
| 3 to 3½ ft., | 20 00 | |
| 3½ to 4 ft. | 22 50 | |
| 4 to 4½ ft. | 25 00 | |
| “ <i>Neaboriensis</i> | | |
| 3 to 3½ ft. | 20 00 | |
| 3½ to 4 ft. | 22 50 | |
| “ <i>recurva squamata</i> | | |
| 1½ to 2 ft., broad | 10 00 | |
| 2 to 2½ ft., broad | 20 00 | |
| “ <i>Sabina</i> , Savin Juniper | | |
| 1½ to 2 ft. | 5 00 | |
| 2 to 2½ ft. | 7 50 | |
| 2½ to 3 ft. | 10 00 | 85 00 |
| 3 to 3½ ft. | 12 50 | 100 00 |
| 3½ to 4 ft. | 15 00 | 125 00 |
| “ <i>Sabina tamaricifolia</i> , Creeping Juniper | | |
| 12 to 15 in., broad | 10 00 | |
| 15 to 18 in., broad | 12 50 | |
| 1½ to 2 ft., broad | 15 00 | |
| 2 to 2½ ft., broad | 17 50 | |
| “ <i>stricta</i> | | |
| 15 to 18 in. | 3 50 | |
| 1½ to 2 ft. | 5 00 | |
| “ <i>Virginiana</i> , Red Cedar | | |
| 3 to 3½ ft. | 12 50 | |
| 3½ to 4 ft. | 15 00 | |
| 4 to 4½ ft. | 17 50 | |
| 4½ to 5 ft. | 20 00 | |
| “ <i>Virginiana Cannartii</i> | | |
| 2 to 2½ ft. | 13 50 | |
| 3 to 3½ ft. | 17 50 | |
| 3½ to 4 ft. | 20 00 | |
| “ <i>Virginiana cylindrica</i> | | |
| 4 to 5 ft. | 25 00 | |
| 5 to 6 ft. | 30 00 | |
| 6 to 7 ft. | 35 00 | |
| Virginiana elegantissima Lee , Golden-tipped Juniper | | |
| 1½ to 2 ft. | 6 00 | |
| 2 to 2½ ft. | 7 50 | |
| 2½ to 3 ft. | 10 00 | |
| 3 to 3½ ft. | 12 50 | |
| 3½ to 4 ft. | 15 00 | |

All evergreens balled and burlapped at the prices listed.



**Juniperus Virginiana Glauca
Blue Red Cedar**

Everyone knows the Native Red Cedar, and there is no evergreen which just fills its place in landscape planting. This is a handsome variety of it, with steel blue foliage. Its hardiness extends to any part of the United States and Canada. We have probably the largest stock of this Blue Cedar in this country.

Juniperus (Cont.)

Per 10 Per 100

" Virginiana glauca, Blue Red Cedar

| | |
|-------------|-------|
| 2 to 2½ ft. | 10 00 |
| 2½ to 3 ft. | 13 50 |
| 3 to 3½ ft. | 15 00 |
| 3½ to 4 ft. | 17 50 |
| 4 to 5 ft. | 22 50 |
| 5 to 6 ft. | 30 00 |
| 6 to 7 ft. | 40 00 |
| 7 to 8 ft. | 50 00 |


" Virginiana globosa, Globe Red Cedar

| | |
|-------------|-------|
| 1½ to 2 ft. | 15 00 |
|-------------|-------|

" Virginiana plumosa

| | |
|------------|-------|
| 4 to 5 ft. | 20 00 |
|------------|-------|

All evergreens balled and burlapped at the prices listed.



Juniperus Virginiana Schottii

The *Juniperus Schotti* takes the place of the Common Red Cedar in evergreen planting. It possesses the same character of growth and is quite as hardy. The foliage is of a rich green color.

***Juniperus* (Cont.)**

Per 10 Per 100

" *Virginiana Schottii*

| | |
|------------------|-------|
| 2 to 2½ ft. | 10 00 |
| 2½ to 3 ft. | 12 50 |
| 3 to 3½ ft. | 15 00 |
| 3½ to 4 ft. | 17 50 |
| 4 to 5 ft. | 25 00 |
| 5 to 6 ft. | 30 00 |

" *Virginiana tripartita*

| | |
|------------------|-------|
| 2 to 2½ ft. | 10 00 |
| 2½ to 3 ft. | 15 00 |

Picea*, See also *Abies

" *Alcockiana*

| | |
|-----------------|-------|
| 4 to 5 ft. | 17 50 |
| 5 to 6 ft. | 20 00 |

" *Concolor*, Colorado Silver Fir

| | |
|-----------------|-------|
| 5 to 6 ft. | 50 00 |
|-----------------|-------|

All evergreens balled and burlapped at the prices listed.

| Picea (Cont.) | | Per 10 | Per 100 |
|---|-------|--------|---------|
| “ <i>excelsa</i> , Norway Spruce | | | |
| 1½ to 2 ft. | 3 00 | 25 00 | |
| 2 to 2½ ft. | 3 50 | 30 00 | |
| 2½ to 3 ft. | 5 00 | 40 00 | |
| 3 to 3½ ft. | 7 50 | 60 00 | |
| 3½ to 4 ft. | 10 00 | | |
| 4 to 4½ ft. | 12 50 | | |
| 5 to 6 ft. | 15 00 | | |
| 6 to 7 ft. | 20 00 | | |
| “ <i>excelsa Maxwellii</i> , Dwarf Spruce | | 20 00 | |
| 1½ to 2 ft., broad | | | |
| “ <i>excelsa nana compacta</i> , Dwarf Spruce | | 12 50 | |
| 1½ ft. by 1½ ft. | | | |
| “ <i>excelsa pyramidalis</i> , Pyramidal Norway Spruce | | 15 00 | |
| 4 to 4½ ft. | | | |
| 7 to 8 ft. | 40 00 | | |
| “ <i>Nordmanniana</i> , See <i>Abies</i> | | | |
| “ <i>orientalis</i> , Oriental Spruce | | | |
| 2 to 2½ ft. | 12 50 | | |
| 2½ to 3 ft. | 15 00 | | |
| 3 to 3½ ft. | 17 50 | | |
| 3½ to 4 ft. | 20 00 | | |
| 4 to 4½ ft. | 25 00 | | |
| 4½ to 5 ft. | 30 00 | | |
| “ <i>orientalis gracilis</i> , Dwarf Oriental Spruce | | | |
| 1½ to 2 ft. | 13 50 | | |
| 2 to 2½ ft. | 15 00 | | |
| “ <i>polita</i> , Tiger-tail Spruce | | | |
| 3 to 3½ ft. | 20 00 | | |
| 3½ to 4 ft. | 25 00 | | |
| 4 to 4½ ft. | 30 00 | | |
| “ <i>pungens argentea</i> , Colorado Blue Spruce | | | |
| 2 to 2½ ft. | 15 00 | | |
| 2½ to 3 ft. | 17 50 | | |
| “ <i>pungens Koster's glauca</i> , Colorado Blue Spruce | | | |
| 1½ to 2 ft. | 15 00 | | |
| 2 to 2½ ft. | 20 00 | | |
| 2½ to 3 ft. | 25 00 | | |
| 3 to 3½ ft. | 30 00 | | |
| 3½ to 4 ft. | 35 00 | | |
| 4 to 4½ ft. | 40 00 | | |
| 4½ to 5 ft. | 45 00 | | |
| 5 to 6 ft. | 50 00 | | |
| “ <i>pungens glauca pendula</i> , Weeping Blue Spruce | | | |
| 6 to 7 ft. | 50 00 | | |
| <i>Pinus cembra</i> , Swiss Stone Pine | | | |
| 2 ft. | 17 50 | | |
| 2½ ft. | 20 00 | | |
| “ <i>Montana</i> , Mountain Pine | | | |
| 1½ to 2 ft. | 10 00 | | |
| 2 to 2½ ft. | 12 50 | | |
| 2½ to 3 ft. | 15 00 | | |
| “ <i>Mughus</i> , Dwarf Mountain Pine | | | |
| 12 to 15 in., broad | 8 50 | 75 00 | |
| 15 to 18 in., broad | 10 00 | 90 00 | |
| 1½ to 2 ft., broad | 12 50 | 100 00 | |
| 2 to 2½ ft., broad | 13 50 | 125 00 | |

All evergreens balled and burlapped at the prices listed.

| | | Per 10 | Per 100 |
|--|--|--------|---------|
| Pinus (Cont.) | | | |
| " strobus , White Pine | | | |
| 1½ to 2 ft. | | 3 50 | |
| 2 to 2½ ft. | | 5 00 | |
| 2½ to 3 ft. | | 7 50 | |
| " sylvestris <i>Wateriana</i> , Dwarf Scotch Pine | | | |
| 1 to 1½ ft., broad | | 12 50 | |
| Pseudotsuga <i>Douglasii</i> , Douglas Fir | | | |
| 2 to 2½ ft. | | 10 00 | |
| 2½ to 3 ft. | | 12 50 | |
| 3 to 3½ ft. | | 15 00 | |
| 3½ to 4 ft. | | 17 50 | |
| Retinispora <i>filicoides</i> | | | |
| 2 to 3 ft. | | 12 50 | |
| " filifera , Thread-leaved Cypress | | | |
| 1½ to 2 ft. | | 6 50 | |
| 2 to 2½ ft. | | 10 00 | |
| 2½ to 3 ft. | | 12 50 | |
| 3 to 3½ ft. | | 15 00 | |
| 3½ to 4 ft. | | 17 50 | |
| 4 to 4½ ft. | | 20 00 | |
| 4½ to 5 ft. | | 22 50 | |
| 6 to 7 ft. | | 35 00 | |
| " filifera aurea , Golden thread-leaved Cypress | | | |
| 1½ to 2 ft. | | 12 50 | |
| 2 to 2½ ft. | | 15 00 | |
| 2½ to 3 ft., heavy specimens | | 20 00 | |
| 3 to 3½ ft., heavy specimens | | 25 00 | |
| 3½ to 4 ft., heavy specimens ... | | 30 00 | |
| " leptoclada | | | |
| 4½ to 5 ft. | | 20 00 | |
| " obtusa | | | |
| 1½ to 2 ft. | | 6 50 | |
| 2 to 2½ ft. | | 10 00 | |
| 2½ to 3 ft. | | 12 50 | |
| " obtusa Crippsii , Golden Cypress | | | |
| 2 to 2½ ft. | | 13 50 | |
| 2½ to 3 ft. | | 15 00 | |
| " obtusa gracilis | | | |
| 1½ to 2 ft. | | 7 50 | |
| 2 to 2½ ft. | | 12 50 | |
| 2½ to 3 ft. | | 15 00 | |
| 3 to 3½ ft. | | 17 50 | |
| 3½ to 4 ft. | | 20 00 | |
| " obtusa nana , Dwarf Cypress | | | |
| 8 to 10 in. | | 6 00 | |
| 10 to 12 in. | | 7 50 | |
| 12 to 15 in. | | 8 50 | |
| 15 to 18 in. | | 10 00 | |
| 18 to 20 in. | | 12 50 | |
| 2 to 2½ ft. | | 17 50 | |
| 2½ to 3 ft. | | 20 00 | |
| 3 to 3½ ft. | | 25 00 | |
| 3½ to 4 ft. | | 30 00 | |
| " obtusa nana aurea , Golden dwarf Cypress | | | |
| 1½ to 2 ft. | | 12 50 | |
| 2 to 2½ ft. | | 15 00 | |
| 2½ to 3 ft. | | 17 50 | |
| 3 to 3½ ft. | | 20 00 | |

All evergreens balled and burlapped at the prices listed.



Retinispora Plumosa Aurea

The beautiful golden Retinispora is almost indispensable in evergreen planting. While of fairly rapid growth it may be kept any size desired by constant shearing, and this shearing adds to its beauty as the golden color is brighter on the new and young growth. We have a large stock of this magnificent evergreen, and in large sizes.

| Retinispora (Cont.) | | Per 10 | Per 100 |
|---|--|---------------|----------------|
| “ <i>obtusa pygmaea</i> , Dwarf Cypress | | | |
| 1½ to 2 ft. | | 17 | 50 |
| “ <i>pisifera</i> | | | |
| 1 to 1½ ft. | | 4 | 00 |
| 1½ to 2 ft. | | 6 | 00 |
| 2 to 2½ ft. | | 7 | 50 |
| 2½ to 3 ft. | | 10 | 00 |
| 3 to 3½ ft. | | 13 | 50 |
| 3½ to 4 ft. | | 15 | 00 |
| 4 to 4½ ft. | | 17 | 50 |

All evergreens balled and burlapped at the prices listed.

| | | Per 10 | Per 100 |
|--|--|--------|---------|
| Retinispora (Cont.) | | | |
| “ <i>pisifera aurea</i> , Golden Cypress | | | |
| 1 to 1½ ft. | | 4 00 | |
| 1½ to 2 ft. | | 6 00 | |
| 2 to 2½ ft. | | 7 50 | |
| 2½ to 3 ft. | | 10 00 | |
| 3 to 3½ ft. | | 13 50 | |
| 3½ to 4 ft. | | 15 00 | |
| 4 to 4½ ft. | | 17 50 | |
| 8 to 10 ft. | | 40 00 | |
| 10 to 12 ft. | | 50 00 | |
| “ <i>plumosa</i> , Plume-like Cypress | | | |
| 1½ to 2 ft. | | 6 00 | |
| 2 to 2½ ft. | | 7 50 | |
| 2½ to 3 ft. | | 10 00 | |
| 3 to 3½ ft. | | 13 50 | |
| 3½ to 4 ft. | | 15 00 | |
| 4 to 4½ ft. | | 17 50 | |
| 8 to 10 ft. | | 40 00 | |
| 10 to 12 ft. | | 50 00 | |
| “ <i>plumosa aurea</i> , Golden Cypress | | | |
| 1 to 1½ ft. | | 4 00 | |
| 1½ to 2 ft. | | 6 00 | |
| 2 to 2½ ft. | | 7 50 | |
| 2½ to 3 ft. | | 10 00 | |
| 3 to 3½ ft. | | 13 50 | |
| 3½ to 4 ft. | | 15 00 | |
| 5 to 6 ft., very broad | | 25 00 | |
| 6 to 7 ft., very broad | | 30 00 | |
| 7 to 8 ft., very broad | | 40 00 | |
| 8 to 10 ft., very broad | | 50 00 | |
| 10 to 12 ft., very broad | | 60 00 | |
| “ <i>squarrosa</i> Veitchii, Silver Cypress | | | |
| 1½ to 2 ft. | | 6 00 | |
| 2 to 2½ ft. | | 7 50 | |
| 2½ to 3 ft. | | 10 00 | |
| 3 to 3½ ft. | | 13 50 | |
| Sciadopitys verticillata , Japanese Umbrella Pine | | | |
| 1½ to 2 ft. | | 15 00 | |
| 2 to 2½ ft. | | 20 00 | |
| 2½ to 3 ft. | | 25 00 | |
| Taxus adpressa stricta , Upright Japanese Yew | | | |
| 3½ to 4 ft. | | 25 00 | |
| “ <i>Cuspidata</i> , Japanese Yew | | | |
| 2 to 2½ ft. | | 12 50 | |
| 2½ to 3 ft. | | 17 50 | |
| 3½ to 4 ft. | | 27 50 | |
| “ <i>cuspidata brevifolia</i> , Japanese Yew | | | |
| 1½ to 2 ft. | | 12 50 | |
| 2 to 2½ ft. | | 20 00 | |
| “ <i>repanda</i> 2 to 2½ ft., broad | | 20 00 | |
| Thuya occidentalis , American Arbor Vitae | | | |
| 2 to 2½ ft. | | 3 50 | 30 00 |
| 2½ to 3 ft. | | 5 00 | 40 00 |
| 3 to 3½ ft. | | 6 00 | 50 00 |
| 3½ to 4 ft. | | 7 50 | 65 00 |
| 4 to 4½ ft. | | 8 50 | 75 00 |
| 4½ to 5 ft. | | 10 00 | 85 00 |
| 5 to 6 ft. | | 12 50 | 100 00 |
| 6 to 7 ft. | | 20 00 | |



**Thuya pyramidalis,
Pyramidal Arbor Vitae**

| Thuya (Cont.) | | Per 10 | Per 100 |
|---|-------|---------------|----------------|
| “ <i>occidentalis elegantissima</i> , Golden-tipped | | | |
| 3½ to 4 ft. | 15 00 | | |
| “ <i>occidentalis cristata variegata</i> | | | |
| 1 to 1½ ft. | 7 50 | | |
| “ <i>occidentalis Geo. Peabody</i> , Golden Arbor Vitae | | | |
| 1½ to 2 ft. | 6 50 | | |
| 2 to 2½ ft. | 7 50 | | |
| 2½ to 3 ft. | 10 00 | | |
| 3 to 3½ ft. | 13 50 | | |
| 5 to 6 ft. | 25 00 | | |
| “ <i>occidentalis Hoveylii</i> , Hovey's Golden Arbor Vitae | | | |
| 2 to 2½ ft. | 6 00 | 50 00 | |
| 2½ to 3 ft., very heavy | 7 50 | 70 00 | |
| 3 to 3½ ft., very heavy | 10 00 | | |
| “ <i>occidentalis plicata</i> , Fern-leaved | | | |
| 3 to 3½ ft. | 15 00 | | |
| 3½ to 4 ft. | 17 50 | | |
| 4 to 5 ft. | 22 50 | | |

All evergreens balled and burlapped at the prices listed.

Thuya (Cont.)

Per 10 Per 100

| | | |
|---|-------|--------|
| " <i>occidentalis pyramidalis</i> , Pyramidal Arbor Vitae | | |
| 1½ to 2 ft. | 3 50 | |
| 2 to 2½ ft. | 4 00 | 35 00 |
| 2½ to 3 ft. | 5 00 | 40 00 |
| 3 to 3½ ft. | 6 00 | 50 00 |
| 3½ to 4 ft. | 7 50 | 65 00 |
| 4 to 4½ ft. | 8 50 | 75 00 |
| 4½ to 5 ft. | 10 00 | 85 00 |
| 5 to 6 ft. | 12 50 | 100 00 |

" *occidentalis Rosenthali*

| | |
|-------------|-------|
| 1½ to 2 ft. | 5 00 |
| 2 to 2½ ft. | 7 50 |
| 3½ to 4 ft. | 17 50 |

" *occidentalis semper-aurea*

| | |
|------------|-------|
| 2 to 3 ft. | 7 50 |
| 3 to 4 ft. | 12 50 |

" *occidentalis Siberica (Wareana)*

| | | |
|-------------|-------|-------|
| 1 to 1½ ft. | 3 50 | 30 00 |
| 1½ to 2 ft. | 5 00 | 40 00 |
| 2 to 2½ ft. | 7 50 | 65 00 |
| 2½ to 3 ft. | 10 00 | 90 00 |
| 3 to 3½ ft. | 13 50 | |
| 3½ to 4 ft. | 15 00 | |
| 4 to 5 ft. | 20 00 | |
| 5 to 6 ft. | 25 00 | |

" *occidentalis spiralis*

| | |
|------------|-------|
| 4 to 5 ft. | 15 00 |
| 5 to 6 ft. | 17 50 |

" *occidentalis Standishii*

| | |
|-------------|-------|
| 3 to 3½ ft. | 12 50 |
| 3½ to 4 ft. | 15 00 |

" *Orientalis nana aurea*, Dwarf golden

| | |
|--------|-------|
| 1½ ft. | 8 00 |
| 2 ft. | 10 00 |

Tsuga canadensis, Hemlock Spruce

| | | |
|-----------------------------|-------|-------|
| 1½ to 2 ft. | 5 00 | 40 00 |
| 2 to 2½ ft. | 7 50 | 60 00 |
| 2½ to 3 ft. | 10 00 | |
| 3 to 3½ ft., very heavy | 15 00 | |
| 3½ to 4 ft., very heavy | 17 50 | |
| 4 to 5 ft., heavy specimens | 25 00 | |
| 5 to 6 ft., heavy specimens | 35 00 | |
| 6 to 7 ft. | 40 00 | |

" *canadensis compacta*, Compact Hemlock

| | |
|--------------------|-------|
| 1½ to 2 ft., heavy | 25 00 |
|--------------------|-------|

" *canadensis Sargentii pendula*, Sargent's Weeping Spruce

| | |
|-------------|-------|
| 1½ to 2 ft. | 10 00 |
|-------------|-------|

" *Sieboldii*, Japanese Hemlock Spruce

| | |
|-------------|-------|
| 2 to 2½ ft. | 15 00 |
| 3 to 3½ ft. | 20 00 |
| 3½ to 4 ft. | 25 00 |
| 4 to 4½ ft. | 30 00 |

All evergreens balled and burlapped at the prices listed.

Evergreen Shrubs

| | | Per 10 | Per 100 |
|--|-------|--------|---------|
| <i>Abelia grandiflora</i> , Hybrid Abelia | | | |
| 10 to 12 inch 4 inch pots | 2 50 | | |
| <i>Andromeda floribunda</i> , (Pieris) | | | |
| 2 to 2½ ft | 12 50 | | |
| <i>Aucuba Japonica aurea</i> , Golden-leaved | | | |
| 3 ft. heavy | 10 00 | | |
| " <i>Japonica viridis</i> , green-leaved | | | |
| 2½ ft. heavy | 10 00 | | |
| <i>Azalea amoena</i> , Evergreen Azalea | | | |
| 12 to 15 inch broad | 7 50 | | |
| 15 to 18 inch broad | 10 00 | | |
| " <i>amoena Hinodegiri</i> , Japanese evergreen Azalea | | | |
| 12 to 15 inch broad | 10 00 | | |
| " <i>Kaempferi</i> , Salmon pink | | | |
| 12 to 15 inch bushy | 7 50 | | |
| <i>Berberis aquifolia</i> , See <i>Mahonia</i> | | | |
| " <i>ilicifolia</i> , Holly-leaved Barberry | | | |
| 1½ to 2 ft | 1 50 | 15 00 | |
| 2 to 2½ ft | 2 0 | 20 00 | |
| " <i>Sieboldi</i> | | | |
| 1½ to 2 ft. | 1 50 | 15 00 | |
| <i>Buxus arborescens</i> , Bush form | | | |
| 12 to 15 in. | 2 00 | 18 00 | |
| 15 to 18 in. | 2 50 | 22 00 | |
| 18 to 20 in. | 3 00 | 25 00 | |
| 20 to 24 in. | 3 50 | 30 00 | |
| 2 to 2½ ft. | 8 50 | | |
| " <i>suffruticosa</i> , Dwarf Box Edging | | | |
| 4 to 6 in. heavy | 65 | 5 00 | |
| 6 to 8 in. heavy | 1 00 | 8 00 | |
| <i>Calluna vulgaris</i> , Heather | | | |
| 3½ inch pots | 2 50 | 25 00 | |
| <i>Cerasus Laurocerasus</i> , English Laurel | | | |
| 4 ft. heavy | 10 00 | | |
| <i>Crataegus pyracantha Lalandi</i> , Evergreen Thorn | | | |
| 1 to 1½ ft. | 2 00 | | |
| 1½ to 2 ft. | 2 50 | | |
| 2 to 2½ ft. | 3 00 | | |
| <i>Erica stricta</i> , Heath | | | |
| 15 to 18 inch, 5 inch pots | 2 50 | 25 00 | |

| | | Per 10 | Per 100 |
|---|-------|--------|---------|
| <i>Euonymus Japonicus</i> , Green-leaved | | | |
| 1½ to 2 ft., 5 inch pots | 3 00 | 25 00 | |
| " <i>Japonicus aureus</i> , Golden-leaved | | | |
| 14 to 16 inches, 5 inch pots | 3 00 | 25 00 | |
| " <i>Sieboldianus</i> | | | |
| 3½ to 4 ft. | 5 00 | | |
| <i>Ilex crenata</i> , Japanese Holly | | | |
| 15 to 18 in. | 3 00 | | |
| 2½ to 3 ft. bush form | 17 50 | | |
| 3 to 3½ ft. bush form | 20 00 | | |
| 6 to 7 ft. pyramids | 50 00 | | |
| <i>Kalmia latifolia</i> , Laurel | | | |
| 2 to 2½ ft. | 7 50 | 75 00 | |
| <i>Leucothaea Catesbaei</i> | | | |
| 15 to 18 inch clumps | 4 00 | 35 00 | |
| <i>Mahonia aquifolium</i> | | | |
| 1 to 1½ ft. | 1 25 | 10 00 | |
| <i>Rhododendron Catawbiense</i> | | | |
| 2 to 2½ ft. | 8 50 | | |
| " <i>maximum roseum</i> , pink | | | |
| 2½ to 3 ft. | 8 50 | | |
| " <i>myrtifolium</i> , pink | | | |
| 1 to 1½ ft. bushy | 8 50 | | |
| " <i>punctatum</i> , | | | |
| 15 to 18 in. bushy | 7 50 | | |
| <i>Yucca filamentosa</i> , Adam's Needle | | | |
| 3 year | 1 25 | 10 00 | |
| 4 year | 1 35 | | |



Meehan's Mallow Marvels

SINCE the introduction of our Mallows several years ago, thousands of them have been widely distributed over the entire country and have given the utmost satisfaction. They are now specified in planting lists by Landscape Engineers, Superintendents of Parks and Cemeteries.

It makes a vigorous growth—strong roots making a bushy clump five to seven feet in one season and blooming profusely from midsummer to frost. Being an herbaceous plant it dies to the ground in the fall, shooting from the root again the following spring.

The flowers measure from eight to twelve inches in diameter, and are sold in separate colors, in red, pink and white.

The plant is extremely hardy, having been tested and grown in all parts of the United States and Canada.

It grows naturally in moist ground but thrives equally as well in any good, rich soil.

Beware of Imitations offered under other names.

Hardy Herbaceous Perennials

Ornamental Grasses and Ferns

Our Herbaceous Department is in charge of experts, men who are thoroughly trained in the growing, handling and shipping of these popular plants. By a thorough system of propagation and transplanting our stock is kept in the highest state of perfection, so that every plant we send out is young, vigorous and brought to a condition where it will give the customer the best results.

In making comparison of our prices with those of other nurseries bear in mind the fact that our plants are mostly field grown clumps and not the small divisions usually supplied by other growers.

July to September, etc., indicates the period of flowering.

| | | Per 10 | Per 100 |
|---|------|--------|---------|
| <i>Achillea Ptarmica plena</i> , "The Pearl," double white, July | 80 | 6 00 | |
| <i>Agrostemma coronaria</i> , purplish-crimson, June | 1 00 | 8 00 | |
| <i>Ajuga genevensis</i> , Bugle, blue, May | 80 | 6 00 | |
| " <i>reptans</i> , blue, May | 80 | 6 00 | |
| <i>Alyssum saxatile compactum</i> , yellow, May .. | 80 | 6 00 | |
| <i>Anchusa Italica</i> , Dropmore variety, dark blue, June to Sept. | 1 50 | 12 00 | |
| <i>Anemone Japonica Whirlwind</i> , white, Sept. to Nov. | 1 00 | 8 00 | |
| " <i>Japonica rubra</i> , red, Sept to Nov. | 1 00 | 8 00 | |
| <i>Anthemis tinctoria Kelwayi</i> , Chamomile, yellow, July | 80 | 6 00 | |
| <i>Aquilegia coerulea</i> , Columbine, blue, May.... | 1 00 | 8 00 | |
| " <i>coerulea alba</i> , white, May | 1 00 | 8 00 | |
| " <i>chrysantha</i> , yellow, June | 1 00 | 8 00 | |
| " <i>nana plenissima</i> , dwarf, double, dark purple, May | 1 00 | 8 00 | |
| " <i>vulgaris</i> , various colors, May | 1 00 | 8 00 | |
| " <i>vulgaris alba</i> , white, May | 1 00 | 8 00 | |
| <i>Armeria Laucheana</i> , pink, May | 1 00 | 8 00 | |
| <i>Artemisia Arbrrotanum</i> , "Old Man"..... | 80 | 6 00 | |
| " <i>pontica</i> , "Old Woman" Silver Foliage .. | 80 | 6 00 | |
| " <i>Stellariana</i> , silvery foliage | 80 | 6 00 | |
| <i>Asclepias tuberosa</i> , Butterfly Plant, July | 1 00 | 8 00 | |
| <i>Aster alpina</i> , bright purple, June and July .. | 80 | 6 00 | |
| " <i>amethystinus</i> , large pale blue, Sept. | 80 | 6 00 | |
| " <i>Lil Fardel</i> , mauve, Sept. | 80 | 6 00 | |
| " <i>Novae-Angliae</i> , purple, Sept. to Oct. | 80 | 6 00 | |
| " <i>Novae-Angliae alba</i> , white, Sept to Oct. | 1 00 | 8 00 | |
| " <i>Novae-Angliae rosea</i> , rose, Sept. | 80 | 6 00 | |
| " <i>ptarmicoides</i> , white, Aug. to Oct. | 1 00 | 8 00 | |
| " <i>Tataricus</i> , light purple, late fall | 80 | 6 00 | |
| <i>Baptisia australis</i> , blue, May | 1 50 | 10 00 | |
| <i>Belamcanda Chinensis</i> , Blackberry Lily, red and orange, Aug. to Sept. | 75 | 5 00 | |
| <i>Betonica rosea</i> , dwarf, pleasing pink, July ... | 1 00 | 8 00 | |
| <i>Bocconia cordata</i> , Plume Poppy | 80 | 6 00 | |

| | Per 10 | Per 100 |
|---|--------|---------|
| Boltonia latisquama , Starwort, pale pink, Aug. | 80 | 6 00 |
| Campanula carpatica , Bellflowers, blue, July to Sept. | 1 00 | 8 00 |
| " <i>glomerata</i> , blue, June | 1 00 | 8 00 |
| " <i>media</i> , Canterbury Bells, assorted var... | 1 00 | 8 00 |
| " <i>persicifolia</i> , blue, June to July | 1 00 | 8 00 |
| Cassia marylandica , Senna, yellow, July | 80 | 6 00 |
| Centaurea macrocephala , yellow, July | 1 00 | 8 00 |
| " <i>montana</i> , blue, June and July | 1 00 | 8 00 |
| Cerastium Biebersteinii , white, April and May | 80 | 6 00 |
| Chrysanthemum Shasta Daisy , white, all summer | 1 00 | 8 00 |

Chrysanthemums

Hardy for outdoor planting

| | | |
|---------------------------------|------|------|
| Strong field grown plants | 1 00 | 8 00 |
|---------------------------------|------|------|

Autumn Queen—Large, rosy pink

A. Neilson—Bright wine color with silvery petals. New large and distinctive.

Baby—Golden yellow, button type.

Boston—Semi-double, splendid golden bronze or old gold.

Bradshaw—Large, full, silvery pink flower.

Brown Bessie—Beautiful garnet brown, button flower.

Corsican—Light pink, quilled petals, anemone-flowered.

Early Bird—Canary yellow, changing 'o white.

Eva—Large, true anemone flower, rose-pink.

Henrietta—Bronze, yellow edge.

Hijos—Beautiful primrose-pink, opening lighter.

Julia Devine—Golden bronze, changing to yellow.

Lady Naylor—Large, double, soft La France pink.

Lilia—Double, r'ch, velvety scarlet. Tall.

May Suydam—Glorious, large, rich bronze flower, 3 to 3½ inches in diameter. Incurved petals.

Mercedes—Semi-double, pure white, yellow center. Large flower.

Model—Small, round, pure white. Early. Flowers in cluster.

Mrs. Porter—Good, bright bronze.

Mrs. Vincent—Large, rich magenta, 2 inch.

Northumberland—Reddish bronze.

Radiance—Semi-double, light pink, shaded darker. Yellow center.

Reliance—Semi-double, rich cream, yellow center. Large flowers.

Sunset—Single scarlet, yellow center.

Strathmeath—Clear pink.

Sylvia—Scarlet bronze.

Triumph d'Or—Yellow.

| | Per 10 | Per 100 |
|--|--------|---------|
| Clematis Davidiana , blue, July | 1 50 | 10 00 |
| " <i>recta</i> , white, July | 1 50 | 12 00 |
| Convallaria majalis , Lily of Valley, Clumps .. | 2 00 | 15 00 |
| Coreopsis lanceolata grandiflora , Tickseed, golden yellow, summer | 80 | 6 00 |
| " <i>senifolia</i> , yellow, June | 1 00 | 8 00 |
| " <i>tripteris</i> , yellow, August | 1 00 | 8 00 |
| Coronilla varia , Crown Veitch, pink, June ... | 80 | 6 00 |

| | Per 10 | Per 100 |
|---|--------|---------|
| Delphinium Chinense , Chinese Larkspur, blue and white, June to August | 1 00 | 8 00 |
| “ elatum , English Hybrids, Tall Larkspur Shades of blue, June to August | 1 00 | 8 00 |
| “ formosum , Indigo, July | 1 00 | 8 00 |
| Dianthus barbatus , Sweet William, many colors, May and June | 80 | 6 00 |
| “ barbatus alba , white, May | 80 | 6 00 |
| “ barbatus Newport Pink , May | 80 | 6 00 |
| “ diadematis , white, red center, May | 1 00 | 8 00 |
| “ plumarius Carmen , double pink, May .. | 1 00 | 8 00 |
| “ plumarius Countess Knutt , yellow, May .. | 1 50 | 10 00 |
| “ plumarius, Her Majesty , double white, May | 1 00 | 8 00 |
| “ plumarius, Lord Lyon , double rose crimson, May | 1 00 | 8 00 |
| Dicentra spectabilis , Bleeding Heart, pink, April and May | 1 50 | 10 00 |
| Dictamnus fraxinella , Gas Plant, red, June .. | 2 00 | 15 00 |
| Digitalis purpurea , Fox Glove, purple, May and June | 1 00 | 8 00 |
| “ purpurea alba , white, May and June .. | 1 00 | 8 00 |
| Doronicum plantagineum excelsum , Leopard's Bane, yellow, April to June | 1 00 | 8 00 |
| Echinacea purpurea , Cone Flower, pink, July .. | 1 00 | 8 00 |
| Echinops Ritro , Globe Thistle, deep blue, Aug. .. | 1 00 | 8 00 |
| Epimedium nivale , white, May | 1 00 | 8 00 |
| Eryngium amethystinum , blue, July | 1 00 | 8 00 |
| “ planum , blue, July | 1 00 | 8 00 |
| Eupatorium ageratoides , Hardy Ageratum, white, September | 1 00 | 8 00 |
| “ coelestinum , blue, October | 1 00 | 8 00 |
| Funkia coerulea , Plantain Lilies, blue, July .. | 80 | 5 00 |
| “ lancifolia , blue, July | 80 | 6 00 |
| “ ovata | 80 | 6 00 |
| “ subcordata grandiflora , white, August .. | 1 50 | 10 00 |
| “ undulata variegata , white, foliage | 1 00 | 8 00 |
| Gaillardia grandiflora , Blanket Flower, yellow and crimson | 80 | 6 00 |
| “ grandiflora compacta , yellow and crimson, July to September | 80 | 6 00 |
| Geranium sanguineum , rose, June to Sept. .. | 80 | 6 00 |
| Geum coccineum , scarlet, June | 80 | 6 00 |
| “ Heldrichi , orange, June and July | 1 00 | 8 00 |
| Glaucium Fisheri , yellow, white foliage | 1 00 | 8 00 |
| Gypsophila paniculata , Baby's Breath, white, July and August | 1 00 | 8 00 |
| “ nana compacta , white, July and August | 1 00 | 8 00 |
| Helenium autumnale superbum , Sneezewort clear yellow, August | 1 00 | 8 00 |
| “ Riverton Beauty , bronze, August | 1 00 | 8 00 |
| Heleanthemum vulgare , yellow, May | 80 | 6 00 |
| Helianthus decapetalus multiflorus Soliel d'Or double yellow, Aug. and Sept. | 1 00 | 8 00 |
| “ doronicoides , yellow, July and August.. | 80 | 6 00 |
| “ giganteus , yellow, August to Sept. | 80 | 6 00 |
| “ laetiflorus , yellow dark centre, Aug. and Sept. | 80 | 6 00 |

| | | Per 10 | Per 100 |
|--|------|--------|---------|
| Helianthus (Cont.) | | | |
| " <i>Maximilliana</i> , yellow, Sept. and Oct. | 80 | 6 00 | |
| " <i>mollis</i> , yellow, September | 80 | 6 00 | |
| " <i>orgyalis</i> , yellow, September | 80 | 6 00 | |
| " <i>rigidus</i> , Miss Mellish, yellow, August | 80 | 6 00 | |
| Heliopsis scabra major , orange, June to Aug. | 80 | 6 00 | |
| Hemerocallis Dumortierii , Day Lilies, orange, | | | |
| June | 1 00 | 8 00 | |
| " <i>flava</i> , lemon yellow, June | 1 00 | 8 00 | |
| " <i>fulva</i> , bronze, August | 80 | 6 00 | |
| " <i>fulva fl. pl.</i> , bronze double, August | 80 | 6 00 | |
| " Meehan's <i>Hybrids</i> , orange, very large | 1 00 | 8 00 | |
| " <i>Middendorfi</i> , chrome yellow, May | 80 | 6 00 | |
| " <i>rutilans</i> , orange, May and June | 1 00 | 8 00 | |
| Hollyhock , double, separate colors, June to | | | |
| August | 1 00 | 8 00 | |
| " single, mixed, June to August | 1 00 | 8 00 | |
| Iberis sempervirens , Candytuft, white, April.. | 1 00 | 8 00 | |
| Iris aurea , yellow, May | 1 00 | 8 00 | |
| " <i>Cengialti</i> , deep lavender, May and June | 80 | 6 00 | |
| " <i>florentina</i> , Orris Root, white, May | 80 | 6 00 | |
| " <i>Germanica</i> , German Iris, best assorted | 80 | 6 00 | |

List of varieties of Iris Germanica.

Alexander Von Humboldt. Light blue self.

Bacchus. White delicate lavender edging.

Celeste. Delicate blue self.

Coelestine. Pretty lavender self.

Flavescens. Light yellow.

Lady Frances. Delicate lavender.

Lady Stumpf. Standards lavender, falls blue.

Lilaeceous. Lavender and bronze.

Mad. Chereau. White fringed blue.

Mad. Pacquette. Smoky wine color.

Purpurea. Rich purple.

San Souci. Standard yellow, falls striped brown.

Queen of May. Pink.

Silver King. Silvery white self.

Victor. Sulphur yellow.

| Iris laevigata (Kaempferi) , Japanese Iris, Per 100 | Per 10 | Per 100 |
|---|--------|---------|
| in fine assorted named kinds, July | 1 00 | 8 00 |
| " <i>ochroleuca gigantea</i> , sulphur yellow | 80 | 6 00 |
| " <i>pseud-acorus</i> , yellow, May | 80 | 6 00 |
| " <i>pumila</i> , Dwarf Iris, Various, April | 80 | 6 00 |
| " <i>Siberica orientale</i> , Siberian Iris, indigo blue, June | 1 00 | 8 00 |
| " <i>Snow Queen</i> , white. | | |
| " <i>stenophylla</i> , blue, June | 80 | 6 00 |

Meehan's Mallow Marvels

Prices for Strong 2 Year Roots

| | Per 10 | Per 100 |
|--|--------|---------|
| Red Mallows | 2 00 | 15 00 |
| Pink Mallows | 1 00 | 8 00 |
| White Mallows | 1 25 | 10 00 |
| Prices for Strong 3 Year Roots | | |
| Red Mallows | 3 00 | 25 00 |
| Pink Mallows | 1 50 | 12 00 |
| White Mallows | 2 00 | 15 00 |
| <i>Lathyrus grandiflorus</i> , Perennial Pea, pink June to August | 1 00 | 8 00 |
| <i>Lavandula vera</i> , Sweet Lavender, July—Aug. | 1 00 | 8 00 |

Lilies

| | Per 10 | Per 100 |
|---|--------|---------|
| <i>Lilium auratum</i> , Gold-banded lily of Japan, white spotted, July | 2 00 | 15 00 |
| “ <i>candidum</i> , white, May, June | 1 50 | 12 00 |
| “ <i>elegans</i> , yellow, July and August | 1 50 | 12 00 |
| “ <i>speciosum album</i> , white, Aug. and Sept., pot grown | 2 00 | 15 00 |
| “ <i>speciosum roseum</i> , rose, Aug. and Sept., pot grown | 2 00 | 15 00 |
| “ <i>superbum</i> , orange red, July and Aug., pots | 1 50 | 12 00 |
| “ <i>tigrinum splendens</i> , Tiger Lily, orange spotted, Aug., pot grown | 1 50 | 12 00 |
| <i>Lobelia cardinalis</i> , Cardinal Flower, scarlet Aug. and Sept. | 1 00 | 8 00 |
| <i>Lychnis chalcedonica</i> , Scarlet Lightning, scar- let, July | 1 00 | 8 00 |
| “ <i>Flos-cuculi</i> , Ragged Robin, red, May ... | 80 | 6 00 |
| <i>Lysimachia clethroides</i> , Loosestrife, white, July to Sept. | 80 | 6 00 |
| <i>Lythrum roseum superbum</i> , purple, June and July | 1 00 | 8 00 |
| <i>Monarda didyma</i> , Cambridge scarlet, Berga- mot, Aug. to Sept. | 1 00 | 8 00 |
| “ <i>fistulosa alba</i> , white, Aug. and Sept. ... | 80 | 6 00 |
| “ <i>fistulosa purpurea</i> , purple, Aug. and Sept. | 80 | 6 00 |
| <i>Myosotis palustris semperflorens</i> , Forget-Me- Not, blue, April and May | 1 00 | 8 00 |
| <i>Nepeta Glechoma variegata</i> , Ground Ivy, blue, April and May | 50 | 4 00 |
| <i>Oenothera Missouriensis</i> , Evening Primroses, yellow, July and Aug. | 80 | 6 00 |
| “ <i>speciosa</i> , large white, June and July .. | 80 | 6 00 |
| “ <i>Youngii</i> , yellow, June to Sept. | 80 | 6 00 |
| <i>Paeony officinalis fl. pl.</i> Early double Crimson “ <i>tenuifolia</i> , Fennel leaved Paeony, double Crimson | 2 50 | 20 00 |
| “ <i>Canary</i> , Straw colored | 3 00 | 25 00 |
| “ <i>Delachii</i> , Deep Crimson | 3 00 | 20 00 |
| “ <i>Gen. Schofield</i> , Rose..... | 2 00 | 15 00 |
| “ <i>grandiflora rosea</i> , Rose | 2 00 | 15 00 |

| | | Per 10 | Per 100 |
|--|------|--------|---------|
| Paeony (Cont.) | | | |
| " L'Eclatante , Dazzling rose | 3 00 | 25 00 | |
| " Leslie , Pink | 3 00 | 25 00 | |
| " Louis Van Houttei , Deep Crimson | 3 00 | 25 00 | |
| " Mrs. Fletcher , Deep rose | 3 00 | 25 00 | |
| " Papaveriflora , Bright rose | 3 00 | 25 00 | |
| " Reine des Francais , Purplish rose; straw center | 3 00 | 25 00 | |
| " Robert Burns , Pink | 2 00 | 15 00 | |
| " Our selection of named kinds | 1 50 | 12 00 | |
| Papaver Orientale , Oriental Poppies, crimson, June | 1 00 | 8 00 | |
| " Orientale Livermore , crimson, June | 1 00 | 8 00 | |
| " Orientale Princess Ena , light orange salmon, June | 1 50 | 10 00 | |
| " Orientale Royal Scarlet , scarlet, June .. | 1 00 | 8 00 | |
| Pentstemon barbatus Torreyi , coral red, Aug. | 1 00 | 8 00 | |
| " digitalis , Bearded Tongue, white, July .. | 80 | 6 00 | |
| " pubescens , rosy purple, July and Aug. .. | 80 | 6 00 | |
| Phlox amoena , pink, April | 80 | 6 00 | |
| " decussata , best assortment of varieties | 1 00 | 9 00 | |

LIST OF VARIETIES OF CARDEN PHLOX DECUSSATA

Aurora Borealis, Orange crimson.
 Champs Elysees. Rich purplish crimson.
 Embrazement, Orange-scarlet.
 Epopee. Violet, bright fiery center.
 Gen. Chanzy. Orange scarlet.
 Independence. White.
 Lothair. Salmon, cardinal eye.
 Mrs. Jenkins. Creamy white.
 Pacha. Deep pink.
 Prof. Schliemann. Deep pink.
 Queen. Pure white.
 Richard Wallace. White, violet-carmine centre.
 R. P. Struthers. Scarlet-pink, dark centre.
 William Robinson. Tall salmon pink.

| Phlox sublata rosea , Creeping Phlox, Per 10 | Per 100 |
|--|-----------|
| pink, April and May | 80 6 00 |
| " subulata Sadie , lavender, April and May | 80 6 00 |
| Physostegia Virginica , Obedient Plant, lilac August | 80 6 00 |
| " Virginica alba , white, Aug. and Sept. | 1 00 8 00 |
| Platycodon Mariesii macrantha , blue, dwarf, July to October | 1 00 8 00 |
| Plumbago Larpentae , French blue, August .. | 1 00 8 00 |

| | Per 10 | Per 100 |
|--|--------|---------|
| Polemonium Richardsoni alba, white, May .. | 80 | 6 00 |
| Polygonum cuspidatum , white, August, Sept. | 80 | 6 00 |
| " <i>compactum</i> , dwarf white, Aug. and Sept. | 1 00 | 8 00 |
| Primula Polyanthus , various, May | 1 00 | 8 00 |
| Pyrethrum roseum , various, May | 1 00 | 8 00 |
| " <i>uliginosum</i> , White Daisy, Sept. | 1 00 | 8 00 |
| Ranunculus acris fl. pl. Double Buttercup, June | 80 | 6 00 |
| Rudbeckia laciniata , Golden Glow, yellow, August | 80 | 6 00 |
| " <i>Newmanni</i> , Black Eyed Susan golden yellow, July and August | 80 | 6 00 |
| " <i>sub-tomentosa</i> , yellow, August | 1 00 | 8 00 |
| Salvia azurea grandiflora , blue, August | 1 00 | 8 00 |
| " <i>argentea</i> , large silvery foliage | 1 00 | 8 00 |
| Santoline incana , Lavender Cotton | 80 | 6 00 |
| Saponaria officinalis fl. pl. Bouncing Bet, pinkish-white, Aug. and Sept. | 80 | 6 00 |
| Saxifraga crassifolia , pink, April | 1 00 | 8 00 |
| Sedum spectabilis , pink, Aug. and Sept. | 1 00 | 8 00 |
| Senecio clivorum , orange, August | 1 00 | 8 00 |
| " <i>pulcher, magenta</i> | 1 50 | 10 00 |
| Sisyrinchium Bermudianum , Star Grass, blue, May | 80 | 6 00 |
| Spiraea astilboides , white, May | 1 00 | 8 00 |
| " <i>Japonica</i> , white, May | 1 00 | 8 00 |
| " <i>Lemoinei pyramidalis</i> , white, May | 1 00 | 8 00 |
| " <i>lobata-venusta</i> , pink, June | 1 00 | 8 00 |
| " <i>multiflora compacta</i> , white, May and June | 1 00 | 8 00 |
| " <i>palmatum elegans</i> , pink, June | 1 00 | 8 00 |
| " <i>ulmaria alba plena</i> , double white, June and July | 80 | 6 00 |
| Stokesia cyanea , Stokes Aster, blue | 80 | 6 00 |
| Teucrium Canadensis , pink, July to Aug. | 80 | 6 00 |
| Thalictrum glaucum , handsome foliage | 1 00 | 8 00 |
| Thymus vulgaris , Thyme | 80 | 6 00 |
| Tradescantia Virginica , Spider Wort, blue ... | 80 | 6 00 |
| Valeriana officinalis , light pink, June to July | 1 00 | 8 00 |
| Vernonia Jamesii , Iron Weed, purple, Aug. and Sept. | 1 00 | 8 00 |
| Veronica candida , Speedwell, silvery foliage, blue flowers, June and July | 80 | 6 00 |
| " <i>circaeoides</i> , blue, June | 80 | 6 00 |
| " <i>Montana</i> , blue, June and July | 80 | 6 00 |
| " <i>teucrium</i> , blue, June | 80 | 6 00 |
| " <i>Virginia</i> , white July and August | 1 00 | 8 00 |

| | | Per 10 | Per 100 |
|--|------|--------|---------|
| <i>Vinca major</i> , fine rich foliage | 80 | 6 00 | |
| <i>Vinca minor</i> , Periwinkle | 75 | 5 00 | |
| <i>Viola odorata</i> , Blue, Sweet Violet, April and | | | |
| May | 1 00 | 8 00 | |

Hardy Ferns

| | | |
|---|------|------|
| <i>Aspidium acrostichoides</i> , Christmas Fern ... | 1 00 | 8 00 |
| " <i>marginale</i> , Marginal Fern | 1 00 | 8 00 |
| " <i>spinulosum</i> | 1 00 | 8 00 |
| <i>Asplenium angustifolium</i> , Narrow-leaved | | |
| Spleenwort | 1 00 | 8 00 |
| <i>Onoclea sensibilis</i> , Sensitive Fern | 1 00 | 8 00 |
| " <i>Struthiopteris</i> , Ostrich Fern | 1 00 | 8 00 |
| <i>Osmunda cinnamomea</i> , Cinnamon Fern | 1 00 | 8 00 |
| " <i>Claytoniana</i> , Flowering Fern | 1 00 | 8 00 |
| <i>Polypodium hexagonopterum</i> | 60. | 5 00 |

Hardy Grasses

| | | |
|--|------|-------|
| <i>Bambusa Metake</i> , Evergreen Bamboo | 2 50 | |
| <i>Calamagrostis stricta variegata</i> | 80 | 6 00 |
| <i>Eulalia Japonica gracillima</i> | 2 00 | 15 00 |
| " <i>Japonica variegata</i> , green and white striped | 2 00 | 15 00 |

THOMAS H. DESMOND,

Landscape Designer

711 MAIN ST., HARTFORD, CONN.

Member of the American Society of Landscape Architects

October 26, 1914.

Thomas Meehan & Sons,
Dresher, Pennsylvania.

Gentlemen:-

The trees and shrubs which you shipped to Simsbury, on my order, have been received and are planted. I wish to express the entire satisfaction of both my client and myself with the quality of the goods and the thorough packing. Without question it is the best looking shipment of goods of this class that it has been my pleasure to handle. Had it been otherwise I should not have hesitated to advise you, and therefore feel it is only fair to let you know it was entirely satisfactory.

Very truly yours,

THOMAS H. DESMOND.



Shade Tree Commission.
CITY OF EAST ORANGE, NEW JERSEY

Aug. 24, 1914.

Thomas Meehan & Sons,
Dresher, Pa.

Gentlemen:-

I am sending you some photos I have just lately made of the Yellow-twisted Lindens, as they will convey to you the true appearance of these trees better than anything I can possibly say. The trees were furnished by you and planted in the Fall of 1911, on Kenwood Place. There are seventy five trees, in perfect condition, not having lost a single tree. The trees are very uniform in size and make a beautiful showing, and I predict that this will be one of the most beautiful streets in East Orange.

Yours very truly,
(Signed) Ernest H. Bennett,
Supervising Foreman.

The Robinson Press, Hatboro, Pa.

Thos. Meehan & Sons, Drexler, Penna.
Gentlemen:—

In the Spring of 1908 our Park Board purchased of you some 600 European LINDENS of 3 to $3\frac{1}{2}$ inch caliper. In 1911 they bought from you another lot of 326 trees of same variety and size. These trees were planted on Charles Street (extended) between 29th Street and University Parkway, and during the past four of five years I have had the opportunity of watching their development. The loss in this planting has been practically negligible, and the growth of the trees has been altogether satisfactory. I consider this tree an admirable one for street and park planting, and that its good points places it in a class above the average of our shade trees. I am so pleased with the species that I have used it in the planting of several of our fine streets during the past few years. I have every reason to continue my faith in the trees and hope to use some more of them as our funds here will permit.

Very truly yours,
R. BROOKES MAXWELL, City Forester.

Officer of City Forester, Baltimore, Md.

June 17th, 1915.

